

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-7

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	
LAND OFFICE	
OPERATOR	<input checked="" type="checkbox"/>

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐
2. Name of Operator
Yates Petroleum Corporation
3. Address of Operator
105 South 4th St., Artesia, NM 88210
4. Location of Well
UNIT LETTER K 1460 FEET FROM THE South LINE AND 1980 FEET FROM
THE West LINE, SECTION 21 TOWNSHIP 17S RANGE 26E NMPM.

7. Unit Agreement Name
8. Farm or Lease Name
Siegenthaler IS Com
9. Well No.
2
10. Field and Pool, or Whdeat Penn
Kennedy Farms Upper
12. County
Eddy

15. Elevation (Show whether DF, RT, GR, etc.)
3369' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Perforate, Treat

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Perforated 6995-7131' w/15 .40" holes as follows: 6995-7000' (6 holes-1 SPF); 7015-7020' (6 holes-1 SPF); 7129-7131' (3 holes-1 SPF)
Acidized perforations 7129-7131' w/750 gals 15% NEFE acid. Acidized perforations 6995-7020' w/2250 gals 15% NEFE acid and 10 ball sealers.
Set RBP at 7702' and packer at 6950'. Recovering load.

Work began 11-17-88 - completed 11-17-88.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed James Antonio Donnell TITLE Production Supervisor DATE 11-18-88

Original Signed By W. Williams TITLE _____ DATE NOV 21 1988
APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY: