

| | |
|------------------------|---|
| NO. OF COPIES RECEIVED | 3 |
| DISTRIBUTION | |
| SANTA FE | 1 |
| FILE | 1 |
| U.S.G.S. | |
| LAND OFFICE | |
| OPERATOR | 1 |

NEW MEXICO OIL CONSERVATION COMMISSION

JUN - 2 1978

O. C. C.

ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease

State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

| | |
|--|--|
| 1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> | 7. Unit Agreement Name |
| 2. Name of Operator Yates Petroleum Corporation | 8. Farm or Lease Name Kennedy "JQ" Com |
| 3. Address of Operator 207 South 4th Street - Artesia, NM 88210 | 9. Well No. 1 |
| 4. Location of Well UNIT LETTER <u>H</u> <u>2510</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>33</u> TOWNSHIP <u>17S</u> RANGE <u>26E</u> NMPM. | 10. Field and Pool, or Wildcat Kennedy Farms Morrow |
| 15. Elevation (Show whether DF, RT, GR, etc.) 3339' GR | 12. County Eddy |

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

| | | | |
|--|---|--|---|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> | PLUG AND ABANDONMENT <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | OTHER <input type="checkbox"/> | CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/> | OTHER <input type="checkbox"/> |

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

TD 1443' - Ran 35 joints of 8-5/8" 24# K-55 (1443') of casing set at 1443'. 1-Guide shoe at 1443'. Insert float at 1388'. 1-centralizer at 1388'. 1-centralizer and basket at 1050 and 800'. Cemented w/200 sacks of Thick-set 2% CaCl, followed w/500 sacks of Halliburton Lite 2% CaCl, 10#/sx gilsonite, 1/4# flocele. Tailed in w/150 sacks of Class C 2% CaCl. PD 1:45 AM 5-24-78. Cement did not circulate. Ran Temperature Survey at 8:00 AM 5-24-78. Found top of cement at 600'. Ran 1", tagged cement at 551'. Spotted 90 sacks of Class C 4% CaCl. Pulled 300' of 1". Pumped 148 sacks Class C 4% CaCl. Slight trace of cement to surface. Fell back. WOC 4 hours. POOH w/1". WIH and tagged cement at 250'. Pumped 60 sacks Class C 4% CaCl. Cement circulated approximately 5 sacks to surface. WOC and cement fell back, filled to surface w/12 yards of Ready-Mix. PD 2:45 PM 5-25-78. WOC 18 hours, NU and tested BOP's to 1500#. OK. Reduced hole to 7-7/8", drilled plug and tested to 600#. OK. Resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomlinson TITLE Geol. Secty DATE 6-1-78

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE JUN - 5 1978

CONDITIONS OF APPROVAL, IF ANY: