

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator- <u>Collier & Collier</u>		Lease <u>Hillspie State</u>		Well # <u>12</u>	
Location of Well	Unit <u>A</u> <u>330 Mc</u>	Section <u>27</u>	Township <u>17</u>	Range <u>28</u>	County <u>Eddy</u>
Drilling Contractor	<u>Powco</u>		Type of Equipment <u>Cable Tools to start 8-1-78</u>		

APPROVED CASING PROGRAM

* Witness

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
10"	8 5/8"	24		150	Set & Pull
8"	7"	20		550	Set & Pull
6 1/4"	5 1/2"	14		800	200 Cen

Casing Data:

Int 20 joints of 4 1/2 inch # Grade

☒ (Approved) (Rejected)

Inspected by mw date 9/8/78

Cementing Program

Size of hole _____ Size of Casing 4 1/2 Sacks cement required 250

Type of Shoe used Float Float collar used Baker Btm 3 jts welded Yes

TD of hole 800 Set 804 Feet of 4 1/2 Inch # Grade

New-used csg. @ 795 with 250 sacks neat cement around shoe

+ _____ sax _____ additives 50# Cellulose in 1st 50 sy cement

Plug down @ 1:50 (AM) (PM) Date 9/8/78

Cement circulated Yes No. of Sacks Tree

Cemented by Denton Witnessed by mw

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: Fell back to approx 15'

Fell back to 50 Ft Ready Mix Shut