

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Collier & Collier</i>		Lease <i>State B</i>		Well # <i>4</i>	
Location of Well	Unit <i>9902 W</i>	Section <i>22</i>	Township <i>17</i>	Range <i>28</i>	County <i>Eddy</i>
Drilling Contractor <i>Yucca</i>			Type of Equipment <i>Rotary Air to start 7-26-78</i>		

APPROVED CASING PROGRAM

** witness*

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>7 7/8"</i>	<i>4 1/2"</i>	<i>9.5</i>		<i>800</i>	<i>250 ctn</i>

Casing Data:

Surface *20* joints of *4 1/2* inch *9.5* # Grade *J-55*
8-15-78 (Approved) (~~Rejected~~)

Inspected by *B.W. Weaver* date *8-16-78*

Cementing Program

Size of hole *6 5/8* Size of Casing *4 1/2* Sacks cement required *250*

Type of Shoe used *Guide* Float collar used *Insert* Btm 3 jts welded *Yes*

TD of hole *786* Set *786* Feet of *4 1/2* Inch *9.5* # Grade *J-55*

New-~~used~~ csg. @ *786* with *250* sacks neat cement around shoe

+ sax additives

Plug down @ *9:30* (AM) (~~PM~~) Date *8-16-78*

Cement circulated *Yes* No. of Sacks *40*

Cemented by *Denton* Witnessed by *B.W. Weaver*

Temp. Survey ran @ (AM) (PM) Date top cement @

Casing test @ (AM) (PM) Date

Method Used Witnessed by

Checked for shut off @ (AM) (PM) Date

Method used Witnessed by

Remarks: