## NEW MEXICO OIL CONSERVATION COMMISSION DRAWER DD ARTESIA, NEW MEXICO

Operator + Collin			Leaselle B 1969 Jr. 1				Well #/0		
1	Unit 330 5. 2310 e	Section 22		Township Range		County Eddy			
Drilling Contractor Gucca Dely Co.				Type of Equipment Folary Water 2-8-78					
APPROVED CASING PROGRAM									
Size of Ho	le Size	of Casing	Weigh Foc		Nev	v or Used	Depth	Sacks Cement	
7 7/8 "		41/2"	9.	5			800	250 cine.	
							11. 43.49.87.87.87.17.47.749.148.48.	-	
Casing Data:									
Surfacejoints ofinch# Grade									
(Approved) (Rejected) Inspected bydate									
Cementing Program Size of hole $\frac{778}{8}$ Size of Casing $\frac{412}{2}$ Sacks coment required $\frac{275}{2}$									
Type of Shoe used and Float collar used no Btm 3 jts welded ver									
TD of hole <u>811</u> Set <u>811</u> Feet of <u>47</u> Inch # Grade									
New-used csg. @ $G_{11}'$ with $\frac{15}{5}$ sacks neat cement around shoe + sax additives									
+saxadditives Plug down @_ <u>\°50</u> (AM) (PM) Date <u>\/17/78</u>									
Cement circulated No (TOC & 40') No. of Sacks									
Cemented by Derton Witnessed by More Williams									
Temp. Survey ran @ (AM) (PM) Datetop cement @									
Casing test @ (AM) (PM) Date									
Method Used Witnessed by Witnessed									
Checked for shut off @ (AM) (PM) Date									
Method usedWitnessed by									
Remarks:									
Centroline	the law	* 3rd colla	<u>v</u>	- 1		<del>W</del>	th D in	0-350-400	

FIELD REPORT FOR CEMENTING OF WELLS