

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Collins + Collins</i>		Lease <i>State B 1969 Jr. 1</i>		Well # <i>11</i>	
Location of Well	Unit <i>2905 2310e</i>	Section <i>22</i>	Township <i>17</i>	Range <i>28</i>	County <i>Elly</i>
Drilling Contractor <i>Yucca Drilling Co</i>		Type of Equipment <i>Rotary to start 2-12-79</i>			
APPROVED CASING PROGRAM					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>7 1/8"</i>	<i>4 1/2"</i>	<i>9.5</i>		<i>800</i>	<i>250 cme</i>
Casing Data:					
Surface _____ joints of _____ inch _____ # Grade _____					
(Approved) (Rejected) _____					
Inspected by _____ date _____					
Cementing Program					
Size of hole <i>7 7/8</i> Size of Casing <i>4 1/2</i> Sacks cement required _____					
Type of Shoe used <i>float</i> Float collar used <i>yes</i> Btm 3 jts welded <i>No</i>					
TD of hole <i>810'</i> Set <i>810'</i> Feet of <i>7 7/8</i> Inch <i>11</i> # Grade <i>J-55</i>					
New-used csg. @ <i>809'</i> with <i>275</i> sacks neat cement around shoe					
+ _____ sax _____ additives _____					
Plug down @ <i>9:15</i> (AM) (PM) Date <i>4/25/79</i>					
Cement circulated <i>No</i> No. of Sacks <i>0</i>					
Cemented by <i>Denton</i> Witnessed by <i>Mike Stubblefield</i>					
Temp. Survey ran @ <i>4:00 (AM)</i> (PM) Date <i>4-26-79</i> top cement @ <i>10.5 ft</i>					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by _____					
Remarks: <i>Well has been ready-mixed to surface. M.S. 5/11/79</i>					
centrifuges @ <i>790-770-750'</i> Water @ <i>110'-215'-340'</i> Fresh wtr.					