This form is to be filed with the approproprotect C bisticst Ciffice of the Commission not later the C bisticst Ciffice of the Commission not later the C bisticst Ciffice of the deepened well. It shall be accompanied  $L_2$  one copy of all electrical and radio-activity logs  $L_2$  on the well and a summary of all spectal tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vortical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

.

## Northwestern New Mexico

\*\*\*\*\*\*

\*\*\*\*\*

m Asshut	T Canyon	_ T. Ojo Alamo	T. Penn. ''B''
	The Character	T. Kirtland-Fruitland	1. Penn. C
	T Atoko	_ T. Fictured Cliffs	I. Penn. D
	T Devenian		I. Madison
	T Silurion	_ T. Point Lookout	T. Elbert
	T Montoria	T. Mancos	I. MCCracken
	T Simpson	T. Gallup	I. Ignacio Quite
	T McKoo	Base Greenhorn	I. Granite
m n 11 1	T Filephurger	T. Dakota	I
	T. C. Woch	T. Morrison	1
	T Granite	T. Todilto	I,
	T Delaware Sand	T. Entrada	I
	T Bong Springs	T. Wingate	l
	Υ.	T. Chinle	I
	PT1	T Permian	1
T. Penn.	Т	T. Penn. ''A''	T
		A CANDE OD ZONLE	
No. 1, from		No. 4, from	to
			to
			to
	IMPORTA	NT WATER SANDS	
	r inflow and elevation to which water ro		
No. 1. from	to	feet.	•

No. 2, from	tofcct.
No. 3, from	tofcet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Fgrmation	From	To	Thickness in Feet	Formation
0	65	65	Redbed				
65	85	20	Gravel				
85	290	205	Redbed w/layer of limesto	he		1	
290	450	160	Limestone				
450	470	20	Redbed				
470	680	210	Limestone w/layer of redb	ed			
680	710	30	Redbed				
710	735	25	Limestone				
735	770	35	Redbed				
770	800	30	Limestone w/layers of red	þed			
	1						
				II	<u> </u>		