

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>JFS Enterprises</u>		Lease <u>Camille</u>		Well # <u>1</u>	
Location of Well	Unit <u>16-505</u> <u>330 C</u>	Section <u>22</u>	Township <u>17</u>	Range <u>28</u>	County <u>Eddy</u>
Drilling Contractor	<u>Artesia fishing boat</u>		Type of Equipment <u>Rotary to start 10-14-79</u>		

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>7 7/8"</u>	<u>5 1/2"</u>	<u>14</u>		<u>800</u>	<u>250</u>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 7 7/8 Size of Casing 5 1/2 Sacks cement required _____

Type of Shoe used Float Float collar used yes Btm 3 jts welded No

TD of hole 849' Set 849' Feet of 5 1/2 Inch 14 # Grade J-55

New-used csg. @ 849' with 250 ^{lbs} sacks neat cement around shoe

+ _____ sack _____ additives _____

Plug down @ 11:30 (AM) (PM) Date 10/16/79

Cement circulated yes No. of Sacks 5

Cemented by Halliburton Witnessed by Mike Sturfield

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____

lost circ. @ 110-20' + required

centralizers @ 821'-790'-760' lost 2 1/2" @ 750'