DISTRIBUTION Bevised nota SANTA FE 4 NEW MEXICO OIL CONSERVATION COMMISSION			
NEW MEXICONSERVALION COMMISSION			
FILE I WELL CONDUCTION OF DECOMPLETION OF DECOMPLETION OF DECOMPLETION	\square		
U.S.G.S. WELL COMPLETION OR RECOMPLETION REPORT AND LOG State [X] Fee			
LAND OFFICE 1			
OPERATOR RECEIVED	\overline{III}		
	())		
IG. TYPE OF WELL JAN 30 1980 7. Unit Agreement Name	b a b a J		
WELL X WELL DRY OTHER			
b. TYPE OF COMPLETION NEW WORK WELL DEEPEN DEEPEN DIFF. DIF. DIFF. DIFF. DIFF. DIF. DIFF. DIF. DIF. DIF. D			
NEW WELL X WORK OVER PLUG DIFF. BACK OTHER OTHER Leon State 2. Nume of Operator 9. Well No.			
Alleli Gaffett #1 3. Address of Crerator 10. Field and Pool, or Wildcat	<u></u>		
P.O. Box 798, Artesia, New Mexico 88210 Wildcat San andren	,		
4. Location of Well	\overline{n}		
	111		
UNIT LETTER A LOCATED 660 FEET FROM THE NOTTH LINE AND 660 FEET FROM	111.		
ALLENTIN ALL County ALL County	47,		
THE East LINE OF SEC. 32 TWP. 16S RGE. 27E NMPM	111		
15. Date Spudded 16. Date T.D. Reached 17. Date Compl. (Ready to Prod.) 18. Elevations (DF, RKB, RT, GR, etc.) 19. Elev. Cashinghead			
11/2/79 1/1/80 1/9/80 3430.9 GL 3432.0 20. Total Depth 21. Plug Back T.D. 22. If Multiple Compl., How 23. Intervals Rotary Tools Cable Tools			
Many Drilled By			
26' - 1950' 0' - 26'			
1774', 1784', 1790', 1793', 1805', 1811', 1814', 1823', 1838', 1837', ^{25.} Was Directional Su Made	rvey		
2849', 1855', 1881' - 1900 ' San Andres yes			
26. Type Electric and Other Logs Run 27, Was Well Cored			
Sidewall Neutron Gamma Ray No.			
28. CASING RECORD (Report all strings set in well)			
CASING SIZE WEIGHT LB./FT. DEPTH SET HOLE SIZE CEMENTING RECORD AMOUNT PULL			
<u>10 3/4" 40# 102' 12" 50 Sxs. to surface</u> None			
7" 23# 1150' 10" 200 Sxs. to surface None			
4 1/2" 10 1/2# 1950' 6 3/4" 135 Sxs Top 450'			
29. LINER RECORD 30. TUBING RECORD			
SIZE TOP BOTTOM SACKS CEMENT SCREEN SIZE DEPTH SET PACKER SET			
<u> </u>			
31. Perforation Record (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. 1774', 1784', 1790'. 1793', 1805', 1811', DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED			
1823 1828 1828 1827 1860 1855 (1 -1-1-			
10011 - +0001 (2 shots see Geet) 2 5 (011 - 20740 Salut, 400/ Flew-4, 10			
QF-3, 900# CaCl2, 150# TBM-	4		
33. PRODUCTION			
Date First Production Method (Flowing, gas lift, pumping – Size and type pump) Well Status (Prod. or Shut-in)			
1/10/80 Pumping Producing			
Date of Test Hours Tested Choke Size Prod'n. For Oil – Bbl. Gas – MCF Water – Bbl. Gas – Oil Ratio			
$1/11/80$ 24 hrs. N/A $\rightarrow 30$ TSTM 2 N/A			
Flow Tubing Press. Casing Pressure Calculated 24- Oil – Bbl. Gas – MCF Water – Bbl. Oil Gravity – AP1 (Corr.)			
$\frac{N/A}{34. \text{ Disposition of Gas (Sold, used for fuel, vented, etc.)}} 30 \text{ TSTM} 2 36$			
35. List of Attachments			
Sidewall Neutron Gamma Ray			
36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.			
,, ,			
SIGNED			
SIGNED TITLE DEPERATOR DATE1/29/80			

This form is to be filed with the approprime District Office of the Commission not later the days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Hule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

 Southeastern New Mexico. 	
--	--

.

Northwestern New Mexico

T. Canyon	T Ojo Alamo	T. Penn. "B"
T Strawn	T. Kirtland-Fruitland	T. Penn. "C"
T. Atoka	T. Fictured Cliffs	T. Penn. "D"
T. Miss	T. Cliff House	T. Leadville
T Devonian	T. Menefee	T. Madison
T Silurian	T. Point Lookout	T. Elbert
T Montova	T. Mancos	T. McCracken
T. Simoson		T. Ignacio Qtzte
T. McKee	Base Greenhorn	T. Granite
T. Ellenburger	T. Dakota	T
T. Gr. Wash	T. Morrison	T
T. Granite	T. Todilto	T
T. Delaware Sand	T. Entrada	T
T. Bone Springs	T. Wingate	T
T	T. Chinle	T
Τ	T. Permian	T
T	T. Penn. ''A''	T
	CAS SANDS OR ZONES	
to 1869' Oi	No. 4, from	to
to	No. 5, from	to
to	No. 6, from	
IMPO	RTANT WATER SANDS	
	er me in hole.	
inflow and elevation to which wat		
inflow and elevation to which wat	feet.	
inflow and elevation to which wat	feet.	· · · · · · · · · · · · · · · · · · ·
	T. Strawn T. Atoka T. Miss T. Devonian T. Devonian T. Silurian T. Silurian T. Silurian T. Silurian T. Montoya T. Montoya T. Montoya T. Simpson T. McKee T. Ellenburger T. Granite T. Delaware Sand T. Bone Springs T. T. T. OIL OF to to	T. Canyon T Ojo Alamo T. Strawn T. Kirtland-Fruitland T. Atoka T. Fictured Cliffs T. Miss T. Cliff House T. Devonian T. Menefee T. Silurian T. Point Lookout T. Montoya T. Mancos T. Montoya T. Mancos T. Sinpson T. Gallup T. McKee Base Greenhorn T. Granite T. Morrison T. Bone Springs T. Wingate T. Mone Springs T. Permian T. Mone Springs T. Permian T. Mone Springs T. Mingate T. Mone Springs T. Permian T. More Springs T. Permian T. Mone Springs T. Permian T. Menefee T. Permian T. More GAS SANDS OR ZONES 1869' Oil No. 4, from No. 5, from MPORTANT WATER SANDS IMPORTANT WATER SANDS

No. 4, from......feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0	110	110	Top soil				
110	292	182	Shale & Anhydrite				
292	880	588	Lime				
880	1150	270	Sand				
1150	1238	88	Dolomite				
1238	1665	427	Dolomite & Lime		•		
1665	1889	224	Lime				
1889	1950	61	Dolomite				
			•				
					1		
	1						
	1				1		
							l

 <u>م</u> .	in Le	Ŕ.	5	£÷.
	16-3	6.6	•••	191

JAN 31 1980

1.19-54.1

INCLINATION REPORT

OPERATOR: Allen GarrettADDRESS: P.O. Box 798, Artesia, New Mexico 88210LEASE: Leon StateWELL No. 1FIELD: WildcatLOCATION: Section 32 of Township 16 South, Range 27 East, Eddy County, New Mexico

DISC NO.	DATE	DEPTH	DRIFT
1	12/12/79	502 '	1/4
2	12/20/79	1050'	3/8
3	12/28/79	1500'	0

I hereby certify that the above data as set forth by Jim Davis, Driller for Watson Drilling Company, on his Survey of Directional Drilling is true and correct to the best of my knowledge and belief.

Cheri Monk Title: Secretary

Affidavit:

Before me, the undersigned authority, appeared Cheri Monk known to me to be the person whose name is subscribed hereinbelow, who, on making deposition, under oath states that he is acting for and on behalf of the operator of the well identified above, and that to the best of his knowledge and belief such well was not intentionally deviated from the true vertical whatsoever.

Cheri Monk

(Affiant's Signature)

Sworn and subscribed to in my presence on this 31st day of January, 1980.

My Commission Expires:

X	
Ş	Notary PEHAL SEAL
Ş	MARIO SIFUENTES
ξ	MARIO SIFUENTES
ζ	NOTARY PUBLIC - NEW MEXICO
ξ	NOTARY BOND FILED WITH SECRETARY OF STATE
8	My Commission Expires 1/10/83
Ś	