

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER 10
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Collins + Collins</u>		Lease <u>3rd</u>		Well # <u>4</u>	
Location of Well	Unit <u>23103</u> <u>450W</u>	Section <u>22</u>	Township <u>17</u>	Range <u>28</u>	County <u>El Paso</u>
Drilling Contractor <u>Yucra Dry Co.</u>		Type of Equipment <u>Rotary to start approx 12-15-79</u>			

* witness APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>10 3/4</u>	<u>8 5/8"</u>	<u>24</u>		<u>100</u>	<u>100 cns</u>
<u>6 3/8"</u>	<u>4 1/2"</u>	<u>9.5</u>		<u>800</u>	<u>250 cns</u>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 6 5/8 Size of Casing 4 1/2 Sacks cement required 250

Type of Shoe used Guide Float collar used Insert Btm 3 jts welded yes

TD of hole 758 Set 766 Feet of 4 1/2 inch 9.5 # Grade J-55

New ~~used~~ csg. @ 759 with 250 sacks neat cement around shoe

+ Class C sax _____ additives _____

Plug down @ 11:30 (AM) (PM) Date 11-30-79

Cement circulated yes No. of Sacks would not stand full

Cemented by _____ Witnessed by BLE Weaver

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: Ready mix - with 1/2 yd ok