	•
STATE OF NEW MEXICO	
ENERGY AND MINERALS DEPARTMENT	
OIL CONSERVATION DIRECTIVE	Form C-103 -
DISTRIBUTION P. O. BOX 2088	Revised 10-1-78
SANTA FE, NEW MEXICO 87501 FILE LV. JUN 2 1980	Sa. Indicate Type of Leuse
FILE JUN 2 1980	State Fee X
LAND OFFICE	5. State Oll & Gas Lease No.
O. C. D.	State on a cas Least not
ARTESIA, OFFICE	
SUNDRY NOTICES AND REPORTS ON WELLS	
DO NOT USE THIS FORM FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)	7. Unit Agreement Name
2. Name of Operator	8. Farm or Lease Name
Yates Pétroleum Corporation	Jackson Estate BY
3. Address of Operator	9. Well No.
207 South 4th Street-Artesia, NM 88210	9
4. Location of Well	10. Field and Pool, or Wildcat Und .
UNIT LETTER L. 1980 FEET FROM THE South LINE AND 990 FEET FRO	E. Eagle Creek Atoka
UNIT LETTER FEET FROM THE EITER AND	Marten Millilli
West LINE, SECTION 22 TOWNSHIP 175 MANGE 25E HMPH	. ())))))))))))))))))))))))))))))))))))
STATE OF A 24	Eddy
31111111111111111111111111111111111111	Equit VIIIIII
16. Check Appropriate Box To Indicate Nature of Notice, Report or O	ther Data
	IT REPORT OF:
PERFORM REMEDIAL WORK	ALTERING CASING
TEMPORAAILY ABANDON	PLUG AND ABANDONMENT
PULL OR ALTER CASING	at XX
OTHER Perf and Tre	a L რ_
OTHER	
17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including	ng estimated date of starting any proposed
works see alle 1103.	
TD 8295'; WLPBTD 8258'. WIH w/Casing Gun on wireline and	perforated 8163-8202
w/14 .48" holes. POOH. WIH w/Guiberson Uni VI packer on	2-7/8" tubing. Set
packer at 8116'. Swabbed. Acidized perforations w/1000	gallon 7½% MS acid
and 5000g SCF N2 w/ball sealers. Swabbed a small show of	E gas.
Killed well and POOH w/tubing and tools. WIH w/RBP on wi	ireline and set at
8150'. Perforated w/Steel Strip gun 8047-8073 ¹ / ₂ w/10 .50'	holes as follows:
8047, 48, 53, 54, 57, 60 ¹ / ₂ , 66, 68 ¹ / ₂ , 71 & 73 ¹ / ₂ , POOH.	VIH w/Guiberson Uni
VI packer on 2-7/8" tubing set packer at 7979'. Packer v	would not set. WIH
w/2-7/8" tubing and Baker Lok-Set packer. Set packer at	8008'. Started
acid and nitrogen w/ball sealers. Well loaded up and pad	cker failed. Reversed
35 bbls acid out of well and pulled tubing and packer.	WTH $w/2-7/8"$ tubing
35 DDIS acid out of well and pulled cubing and packer.	POID! Naidizod
w/ new packer - Guiberson Uni VI packer. Set packer at 8	DULU . ACTUIZED
perforations w/3000 gallons 71% acid w/ball sealers. Blo	ew well and ran swap
no fluid. Sand Frac'd perforations w/30000g gelled acid	, LUUUUG CO-2, 60000#

20-40 sand w/ball sealers	. Swabbing w/show of gas. S	Swabbed dry.
WIH w/Standing Valve and	set valve in packer at 8004'	• POH. WIH w/Case Gun
on wireline & perforated	7824-52' w/56 .31" holes (2s)	pf)(Atoka). POOH.
	the state has a few beautidus and balief	(Contid on Attached

18. I hereby certify that the information above is true and complete to the be	(Cont'd on Attached Page.	
MENED Christine D. to mensource_	Geol. Secty.	DATE 6-2-80
APPROVED BY IN. a. Gresset	SUPERVISOR, DISTRICT II	JUN 5 1980

CONDITIONS	OF	APPROVAL.	1F	ANYE
CONDITION	U 1	At / 100 / 1001		