

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or to plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐

2. NAME OF OPERATOR
Mesa Petroleum Co.

3. ADDRESS OF OPERATOR

P.O. Box 2009 / Amarillo, TX 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 2160' FNL & 1980' FWL

AT TOP PROD. INTERVAL: Same

AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☒
☐
☐
☐
☒
☐

RECEIVED
JAN 27 1983

(NOTE: Report results of multiple completion or zone changes on Form 9-330.)

OIL & GAS
MINERALS MGMT. SERVICE
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Commenced workover operations on 1-18-83. Set CIBP at 9065' with 35' of cement on top (Morrow perfs were 9100 to 9197'). Spotted 70 gal 10% acetic acid from 8481' to 8374' and set packer at 8345'. Perf'd Strawn at 8469', 70', 73', 74', 75', 76', 77', 78', 79', 80', and 81' with 2 JSPF for a total of 22 holes. Acidized with 2500 gal 20% HCL-MSR 100 w/ 500 SCF Nz/bbl. Had to swab well to regain load. SI for pressure buildup on 1-25-83.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct.

SIGNED R.S. M... TITLE COORDINATOR DATE 1-26-83

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

xc: MMS-R (0+6) CEN RCDS, ACCTG, MAT CONT, PROD ENG (FILE) ACCEPTED FOR RECORD

*See Instructions on Reverse Side

SEP 12 1983