

NEW MEXICO OIL CONSERVATION COMMISSION  
DRAWER 10  
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Collier Energy Inc.</i>		Leases <i>State B 1969 L. 3</i>		Well # <i>20</i>	
Location of Well	Unit <i>17203 2240 W</i>	Section <i>22</i>	Township <i>17</i>	Range <i>28</i>	County <i>Eddy</i>
Drilling Contractor	<i>Yucca d. Co.</i>		Type of Equipment <i>Rotary to start approx 3-27-80</i>		

APPROVED CASING PROGRAM

\* witness

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>7 7/8"</i>	<i>4 1/2"</i>	<i>9.5</i>		<i>800</i>	<i>250 lbs.</i>

Casing Data:

Surface *21* joints of *4 1/2* inch *9.5* # Grade *J-SS*

(Approved) (Rejected)

Inspected by *mw* date *5/20/80*

Cementing Program

Size of hole *7 7/8* Size of Casing *4 1/2* Sacks cement required *250 lbs*

Type of Shoe used *Guide* Float collar used *Insert* Btm 3 jts welded *No*

TD of hole *800* Set *193* Feet of *4 1/2* Inch *9.5* # Grade *J-SS*

New-used csg. @ *792* with *250* sacks neat cement around shoe

+ *—* sax *—* additives *2700*

Plug down @ *100* (AM) (PM) Date *5/20/80*

Cement circulated *Yes* No. of Sacks *3*

Cemented by *Denton* Witnessed by *mw*

Temp. Survey ran @ *—* (AM) (PM) Date *—* top cement @ *—*

Casing test @ *—* (AM) (PM) Date *—*

Method Used *—* Witnessed by *—*

Checked for shut off @ *—* (AM) (PM) Date *—*

Method used *—* Witnessed by *—*

Remarks: