

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.O.S.	2
LAND OFFICE	
OPERATOR	1

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

1. TYPE OF WELL B, N. 1OIL WELL ☒GAS WELL ☐DRY ☐

OTHER

2. TYPE OF COMPLETION

NEW WELL ☒WORK OVER ☐DEEPEN ☐PLUG BACK ☐DIFF. RESVR. ☐

OTHER

3. Name of Operator

Yates Petroleum Corporation

O. C. D.

ARTESIA, OFFICE

4. Address of Operator

207 South 4th St., Artesia, NM 88210

5. Location of Well

6. NEAR LETTER L LOCATED 1650 FEET FROM THE South LINE AND 430 FEET FROM7. West LINE OF SEC. 22 TWP. 17S RGE. 25E NMPM

8. Date Spudded

9-11-81

16. Date F.D. Reached

9-15-81

17. Date Compl. (Ready to Prod.)

10-2-81

18. Elevation (DF, RKB, RT, GR, etc.)

3546' GR

19. Elev. Casinghead

9. Total Depth

1500'

21. Plug Back T.D.

1484'

22. If Multiple Compl., How Many

23. Intervals Drilled By

Rotary Tools

Cable Tools

0-1500'

10. Producing Interval(s), of this completion - Top, Bottom, Name

1274-1407' San Andres

25. Was Directional Survey Made

No

11. Type Electric and Other Logs Run

Gamma Ray-Neutron

27. Was Well Cored

No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10-3/4"	40.5#	320'	14-3/4"	190	
7"	20#	1134'	9-7/8"	630	
4-1/2"	9.5#	1490'	6-1/4"	200	

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-3/8"	1205'	

12. Perforation Record (Interval, size and number)

1274-1407' w/30 .50" holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
1274-1407'	Frac'd w/60000 g. gel 1% KCL wtr. 100000# sd. 2000 g. 15% HCL acid.

PRODUCTION

13. First Production		14. Production Method (Flowing, gas lift, pumping - Size and type pump)				15. Well Status (Prod. or Shut-in)	
10-2-81		Pumping				Producing	
16. Date of Test	17. Hours Tested	18. Choke Size	19. Prod'n. For Test Period	20. Oil - Bbl.	21. Gas - MCF	22. Water - Bbl.	23. Gas - Oil Ratio
10-4-81	24	2"		33	29	14	879/1
24. Flow Tubing Press.	25. Casing Pressure	26. Calculated 24-Hour Rate	27. Oil - Bbl.	28. Gas - MCF	29. Water - Bbl.	30. Oil Gravity - API (Corr.)	
20#	20#		33	29	14	39	
31. Disposition of Gas (Sold, used for fuel, vented, etc.)						33. Test Witnessed By	
Sold						Larry Dade	

34. List of Attachments

Deviation Survey

35. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

*Alanta Goodlett*TITLE Engineering SecretaryDATE 10-9-81

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and mechanical logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, from 30 through 34 shall be reported for each zone. The form is to be filed in quadruplicate except on state land, where triplicates are required. See Rule 1195.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

RECEIVED Southwestern New Mexico

OCT - 9 1981
O. C. D.
ARTESIA, OFFICE

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. (H)
T. Salt	T. Strawn	T. K. (H)	T. Penn. (H)
B. Salt	T. Atoka	T. Permian (H)	T. Penn. (H)
T. Yates	T. Miss	T. Chalk (H)	T. Permian (H)
T. 7 Rivers	T. Devonian	T. Monks	T. Madison
T. Queen	T. Silurian	T. Permian (H)	T. Elliot
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 719	T. Simpson	T. Gallup	T. Ignacio (H)
T. Glorieta	T. McKee	T. Bone Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. (H)
T. Blinberry	T. Gr. Wash	T. Morrison	T. (H)
T. Tubb	T. Granite	T. Toddlers	T. (H)
T. Drinkard	T. Delaware Sand	T. Entrada	T. (H)
T. Abo	T. Bone Springs	T. Wingate	T. (H)
T. Wolfcamp	T. (H)	T. Chino	T. (H)
T. Penn.	T. (H)	T. Permian (H)	T. (H)
T. Cisco (Bough C)	T. (H)	T. Penn. (H)	T. (H)

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 4, from.....to.....
 No. 2, from.....to..... No. 5, from.....to.....
 No. 3, from.....to..... No. 6, from.....to.....


IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....
 No. 4, from.....to.....feet.....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	250	250	Surface & Rock				
250	710	460	Redbeds & Shale				
710	960	250	Water sand & Lime				
960	1133	173	Lime & Sand				
1133	1290	157	Lime & Shale				
1290	1500	210	Lime				



L & M DRILLING, INC. - Oil Well Drilling Contractors

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

RECEIVED

OCT - 9 1981

O. C. D.
ARTESIA, OFFICE

September 18, 1981

Yates Petroleum Corporation
207 South Fourth Street
Artesia, NM 88210

RE: Jackson Estate BY # ¹²/~~KK~~
1650' FSL & 430' FWL
Sec. 22, T17S, R25E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
634'	1 1/2°
1134'	1°
1500'	1-1/4°

Very truly yours,

B. N. Muncy Jr.
President

BNM/rlg

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 18th day of September, 1981.

