

C/SF
2/2/81UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRI. DATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM - 29828

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Parker Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

1-16S-28E

12. COUNTY OR PARISH

13. STATE

Eddy

New Mexico

1. OIL ☐ WELL GAS ☒ WELL ☒ OTHER ☐ Dry Hole

2. NAME OF OPERATOR
Coastal Oil & Gas Corporation ✓

3. ADDRESS OF OPERATOR
Post Office Box 1332, Amarillo, Texas 79189

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
Eddy County, New Mexico
Section 1-16S-28E, 2148' FNL and 990' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3561 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Current Status:

TD 1200', 5 1/2" 14# casing set at 1186', cemented to surface. Plug back
Total Depth 1151'. Perforations from 1117' to 1131' (29 holes).

Proposed plug and abandonment procedure:

1. Load hole with drilling mud.
2. Set cast iron bridge plug at 1,100'.
3. Dump 20' cement on cast iron bridge plug.
4. Spot cement in top of 5 1/2" casing from 33' to 3'.
5. Erect dry hole marker and clean up location.

RECEIVED

RECEIVED

FEB 06 1981

DEC 30 1980

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

W. E. Rawlings

TITLE

Senior Engineer

DATE

12-29-80

(This space for Federal or State office use)

APPROVED (Oris. Sgd.) PETER W. CHESTER
CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACTING DISTRICT ENGINEER

DATE

JAN 29 1981