					_				
NO. OF COPIES RECEIV	ED							C-105	
DISTRIBUTION						_		lsed 11-1-%	
ANTA FE		NFW	MEXICO OIL CO	NSERVATION	COMMISSION	. [5a. Indic	ate Type of Lease	
ILE			ETION OR REC				State	Fee X	
,S.C.S.	4	WELL COMI L	L HON ON NEC	OMI LL ITOI	TICLI OIL I	AND LOG	5. State	Oll & Gas Lease No.	
AND OFFICE									
					orecenter	*1	****	mmmm	
PERATOR					RECEIVED	- '}	/////		
E.	ir) I					i	//////		
TYPE OF WELL				1.0	N: 1 F 100	4	7. Unit A	Agreement Name	
	OIL	L AS WELL		I.	IN 15 198	t j			
TAPE OF COMPLE	TION	LL WELL	DRY	OTHER		}	8. Farm	or Lease Name	
NE # WO		PLUG			O. C. D.	1	т т	_ 7	
Name (Operator	A DEEPE	N BACK	L_ RESVR.L	OTHER	TESIA, OFFICE	:	J La	ızy J	
Name t Oberator		6		AK	LOTA, O. HEL	-	9. Well I	NO.	
Yates Pe	troleum Cor	poration					_	14	
$\lambda \epsilon$ iress of Operator							10. Field	and Poel, or Wildcat	
207 Sout	h 4+h S+	Artesia, N	4 8821A			1	Fin	1. 1	
Laration of Well	ii 4cii be.,	Altesia, N	1 00210				σm	Minthining	
							/////		
T	,	222	0 .1			, i	./////		
IT LETTERI	LOCATED	310 FEET P	ROM THE South	LINE AND	330	FEET FROM	/////		
					1111111	111111	12. Coun	William Control of the Control of th	
E East Line of	22 -	175	- 25F				FAA.		
			E. ZDE NMPN Compl. (Ready to)		loverious (I) h	BLD BT C	Eddy	19. Elev. Cushinghead	
	i	į.		1104.7			ι, εισ.)	19, Elev. Cushingheda	
12-3-80	12-9-80	, , , , , , , , , , , , , , , , , , , ,			3516				
. Total Depth	21. Plu	g Back T.D.	22. If Multip	le Compl., How	23. Interve Drilles	ıls Hotury	Tools	, Cable Tools	
1500 *		1497 '			D.III.E.	→ 0-1	500'	1	
, Producing Interval(s), of this complet	tion - Top, Botter	n, Name					25, Was Directional Survey	
1325-14	35' San And	res						Made No	
The Plants and C	Aborton Eur							1	
. Type Electric and C							27	. Was Well Cored	
Gamma	Ray Neutron							No	
		· CA	SING RECORD (Rep	oort all strings	set in well)				
GASING SIZE	WEIGHT LB.	FT. DEPTI	SET HO	LE SIZE	CEME	NTING RECO	RD	AMOUNT PULLED	
0-3/4"								XIIIOOIT I DEEED	
10-3/4	40.5			15"		50			
711	20#	118		9-1/2"	1;	550			
4-1/2"	9.5#	150	00'	6-1/4"	1	75			
	L	INER RECORD			30.	T	UBING RI	ECORD	
SIZE	TOP	воттом	SACKS CEMENT	SCREEN	SIZE		TH SET		
3120		3011011	JACKS CEMENT	SCREEN				PACKER SET	
					2-3/8	5	1300'		
Perforation Record	Interval, size and	d number)		32.	ACID, SHOT, F	RACTURE, C	EMENT	SQUEEZE, ETC.	
				DEPTHI	NTERVAL	AMOU	NT AND	KIND MATERIAL USED	
1328-1433	' w/11 .50"	holes		1328-14		+· · · ·	Ized w/1500 g. 15% acid		
	' w/16 .50"			1325-14	, == == 8. == 2.0 == ==				
1323 1133 W/10 130 Notes									
						get KCL	wtr,	90000# sd.	
									
			PROD	DUCTION					
te Eirst Production	Produ	ction Method (Flo	wing, gas lift, pump	sing - Size and	type pump)		Well Sto	itus (Prod. or Shut-in)	
12-29-80		Pumpin	ıg				Pro	ducing	
te c: Test	Hours Tested	Choke Size	Prod'n, For	Oil – Bbl.	Gas = MC	C Water	- Bbl.	Gas = Oil Ratio	
1-2-81	24	_	Test Period	45	1	, water		1	
	 			<u> </u>	42		11	933:1	
ow Tebing Press.	Casing Pressure	e Calculated 2/ Hour Hate	4- Oil — Bbl.	Gas - Ma	CF W	tter - Bbl.	(Dil Gravity - API (Corr.)	
2 5#	25#		45	42		11		39	
Essposition of Gas (Sold, used for fue	el, vented, etc.)	 			Test	Witnesse		
9 1 1						ļ	_	·	
Sold							· Pl	Morgan	
	ordation C	*** ***							
	viation Su				• ·				
I hereby certify that	the information s	hown on both side	s of this form is tri	ie and complete	to the best of	my knowledg	e and bel	i e f.	
. 1	, 4	Ś							
COME VIII	ITO LI	Da 11.11	Eng	gineering	Secretary	7	0.4==	Jan. 14, 1981	

INSTRUCTIONS

This form is to be filed with the approxime District Office of the Commission not later (20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Bule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

		Sout	heastern	New Mexico				Northwes	item Ne	ew Mexico
T. An	hy		т.	Canyon	т	Ojo .	Mamo		т.	Penn. "B"
										Penn. "C"
3. S a	It		Т.	Atoka	T.	Pict	red Clif	fs	т.	Penn. "D"
T. Y	ites		Т.	Miss	т.	Cliff	House _		т.	Leadville
T. 71	Rivers		T.	Devonian	T.	Mene	fee		Т.	Madison
II. Qu	ieen		T.	Silurian	Т.	Poin	Lookou	t	Т.	Elbert
										McCracken
T. Sa	n Andres_	730	Т.	Simpson	T.	Galle	тр		Т.	Ignacio Qtzte
T. GI	orieta		τ.	McKee	Ba	se Gre	enhorn 🕳		Т.	Granite
T. Pa	iddock		т.	Ellenburger	Т.	Dako	ta		Т.	
T Cis	co (Bough	(C)	Т.						Т.	
					R GAS SA					
15. 1, f	rom			.to	No	. 4, fr	om	•••••••	••••••	to
"io. 2, f	rom			to	No	. 5, fr	m	*******************	•••••••	to
No. 3, f	rom		••••••	to	No	. 6, fr	m	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•••••••	to
					RTANT N		SAND	S .		
Include	data on ra	te of water	inflow an	d elevation to which wat	er rose in l	ole.				
No. 1, fr	rom			to		••••••	••••••	feet		
No. 2, fr	rom	***************	************	to	•	••••••		feet		***************************************
Ho. 3, fr	rom	****************	*******************************	to		••••				
Ma 4 fe	nom			to						
				ORMATION RECORD (***************************************
From	То	Thickness in Feet		Formation .		From	То	Thickness in Feet		Formation
0	105	105	Surfa	ace, Gravel, Allu	ıvian	<u></u>				

From	То	Thickness in Feet	Formation .	From	То	Thickness in Feet	Formation
0	105	105	Comfort Control Allumion				
	105	105	Surface, Gravel, Alluvian				
105	380	275	Red Beds		Ì		
380	556	176	Red Beds & Sand		•		
556	1180	624	Red Beds & Lime				
1180	1500	320	Lime & Dolo				
	į		#				
	1						
		1	ll l				
			1]	
		1 1					
		1					
						}	
							• .
]					



L & M DRILLING, INC. - Oil Well Drilling Contractors

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

December 12, 1980

RECEIVED

Yates Petroleum Corporation 207 South Fourth Artesia, New Mexico 88210

JAN 1 5 1981

O. C. D.

ARTESIA, OFFICE

Re: J Lazy J #14

2310' FSL & 330' FEL

Section 22, T-17-S, R-25-E Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey of the above captioned well:

Depth	Deviation
380'	1/4 0
860'	1/2 °
1180'	$1/2^{\circ}$
1500'	1 0

Very truly yours,

C. E. LaRue Vice-President

STATE OF NEW MEXICO COUNTY OF EDDY

:

The foregoing was acknowledged before me this 12th. day of December, 1980.

OFFICIAL SEAL

ure: Suy Killa

NOTARY PUBLIC - NEW MEXICO NOTARY BOND FILED WITH SECRETARY OF STAT

My Commission Expires Oct. 15