21. Elevations (Show whether DF, RT, etc.) 3437.8 G.L. 21A. Kind & Status Plug. Bond Blanket In Force PROPOSED CASING AND CEMEN SIZE OF HOLE $17\frac{1}{21}$ 12-3/4 32 11 8-5/8 21A. Kind & Status Plug. Bond DIR DIR Blanket In Force Midla PROPOSED CASING AND CEMEN $32-3/432333334353$	D. FFICE LUG BACK PLUG BACK MULTIF ZC DM THE SOUTH 7-S RGE. 27-F NT PROGRAM	STATE STATE STATE STATE STATE STATE N.M. 7. Unit Age 8. Farm or MWJ 9. Well No 1 10. Field A Wildow LINE NMPM 12. County Eddy Pormation n Andres 22. Appro	The Type of Lease FEE I & Gas Lease No. 5126 Freement Name Lease Name 16 State Table Tools x. Date Work will start -81 EST. TOP Surface
LAND OFFICE I OPERATOR APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR P IA. Type of Well DRILL I DEEPEN DEEPEN OTHER DEEPEN OTHER OTHER O	D. FFICE LUG BACK PLUG BACK MULTIF ZC DM THE SOUTH 7-S RGE. 27-F NT PROGRAM	STATE S. State O N.M. 7. Unit Ac 8. Farm or MWJ 9. Well No 1 10. Field A X Wildo LINE NMPM 12. County Eddy Formation n Andres 22. Appro 1-31 ACKS OF CEMENT 450	FEE II & Gas Lease No. 5126 Freement Name Lease Name 16 State Table Tools x. Date Work will start -81- EST. TOP Surface
OPERATORIAPPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PIn. Type of WellDRILL \blacksquare DRILL \blacksquare DRILL \blacksquare DRILL \blacksquare DEEPEN \square SINCLEOLEPEN \square OLEPEN \square SINCLEOLEPEN \square OLEPEN \square SINCLEOLEPEN \square SINCLEOLEPEN \square SINCLEOLEPEN \square SINCLEOLEPEN \square SIZE OF HOLESIZE OF CASING WEIGHT PER FOOTSIZE OF HOLESIZE OF HOLESIZE OF CASINGWIT 12-3/4321Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cemm3. Drill 17-1/2" hole & set 3-5/8" csg. @ 1700'. Cement 12Drill 117-7/8" hole to 2500A. Nun electric logs. <td>FICE LUG BACK PLUG BACK MULTIF ZC DM THE SOUTH 7-S RGE. 27-F PLUG BACK MULTIF ZC NT PROGRAM</td> <td>S. State O N.M. 7. Unit Ac 7. Unit Ac 8. Farm or 9. Well No 1 10. Field X Wildo LINE NMPM 12. County Eddy Formation n Andres 22. Appro 0. 1–31</td> <td>il & Gas Lease No. 5126 Ureement Name Lease Name 16 State and Pool, or Wildcat 20, Rotary or C.T. Cable Tools x. Date Work will start - -81- EST. TOP Surface</td>	FICE LUG BACK PLUG BACK MULTIF ZC DM THE SOUTH 7-S RGE. 27-F PLUG BACK MULTIF ZC NT PROGRAM	S. State O N.M. 7. Unit Ac 7. Unit Ac 8. Farm or 9. Well No 1 10. Field X Wildo LINE NMPM 12. County Eddy Formation n Andres 22. Appro 0. 1–31	il & Gas Lease No. 5126 Ureement Name Lease Name 16 State and Pool, or Wildcat 20, Rotary or C.T. Cable Tools x. Date Work will start - -81- EST. TOP Surface
ARTESIA, OL APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR P In. Type of Well DRILL DEEPEN DEEPEN DEEPEN SINGLE OTHER SINGLE OTHER SINGLE OTHER SINGLE OTHER SINGLE Address of Operator Address of Operator Address of Operator Action of Vell UNIT LETTER K LOCATED 1980 FEET FROM ACTION OF VELL UNIT LETTER K LOCATED 1980 FEET FROM AND 1080 FEET FROM THE Wast LINE OF SEC. 16 TWP, 1 UNIT LETTER K LOCATED 1980 FEET FROM AND 1080 FEET FROM THE Wast LINE OF SEC. 16 TWP, 1 I. Elevations (Show whether DF, RT, etc.) 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 C.4. Blanket In Force Midla PROPOSED CASING AND CEMEN SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET 17½" 12-3/4 32 11 8-5/8 24 7-7/8 5-1/2 15.5 2 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cement for 3. Drill 7-7/8" hole to 2500 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	FICE LUG BACK PLUG BACK MULTIF ZC DM THE SOUTH 7-S RGE. 27-F PLUG BACK MULTIF ZC NT PROGRAM	N.M. 7. Unit Age 7. Unit Age 8. Farm or MWJ 9. Well No 1 10. Field X Wildo LINE NMPM 12. County Eddy Formation n Andres 22. Appro- 1-31 ACKS OF CEMENT 450	5126 Verement Name Lease Name 16 State and Pool, or Wildcat Cat 20, Rotary or C.T. Cable Tools x. Date Work will start - -81- EST. TOP Surface
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR P In. Type of Well DRILL D OIL D	LUG BACK PLUG BACK MULTIF ZC DM THE SOUTH 7-S RGE. 27-F NT PROGRAM	7. Unit Age 8. Farm or 9. Well No 1 10. Field A Wildon LINE NMPM 12. County Eddy Formation n Andres 22. Appro 1-31 ACKS OF CEMENT 450	Iteement Name Lease Name 16 State
Interpreted work DRILL DEEPEN Sincle District GAS well D.HER Sincle 2. Name of Operator D.HER Sincle 3. Address of Operator D.HER Sincle 4. Location of Well UNIT LETTER LOCATED 1980 4. Location of Well UNIT LETTER LOCATED 1980 AND 1080 FEET FROM THE West LINE OF SEC. 16 TWP. 21. Elevations (Show whether DF, RT, etc.) 21A. Kind & Status Plug. Bond 21B. Dri 21. Elevations (Show whether DF, RT, etc.) 21A. Kind & Status Plug. Bond 21B. Dri 22. Size of CASING WEIGHT PER FOOT SET 7. 8 G. 4. Blankot In Force Midla 7. 7/8 5-1/2 15.5 2 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cemm 2. 2. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cemm 2. Drill 17-7/8" hole to 25GO 4. 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	PLUG BAN MULTIF ZC DM THE SOUTH 7-S RGE. 27-F 7-S RGE. 27-F NG Depth 19A. Sa 11ing Contractor Ind Drilling Contractor NT PROGRAM	K 8. Farm or Will No 9. Well No 10. Field 0 X Wild 0 LINE 10. Field 0 NMPM 12. County Eddy Formation n Andres 22. Appro 0. 1-31	Lease Name 6 State md Pool, or Wildcat Cat 20. Rotary or C.T. Cable Tools x. Date Work will start - -81- EST. TOP Surface
Interpreted work DRILL DRILL DEEPEN District of Operator Sincle Sincle 3. Address of Operator Sincle Sincle 3. Address of Operator Sincle Sincle 4. Location of Well UNIT LETTER Locateo 1980 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. Size of hold Size of casing Blankot in Force Midland Size of HOLE Size of Casing WEIGHT PER FOOT SET 11 17½" 12-3/4 32 11 11 8-5/8 24 7-7/8 5-1/2 15.5 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cem 2. Drill 17-7/8" hole to 2500 3. Run electric logs. 5. Run 5-1/2" 150 sacks.	PLUG BAN MULTIF ZC DM THE SOUTH 7-S RGE. 27-F 7-S RGE. 27-F NG Depth 19A. Sa 11ing Contractor Ind Drilling Contractor NT PROGRAM	K 8. Farm or Will No 9. Well No 10. Field 0 X Wild 0 LINE 10. Field 0 NMPM 12. County Eddy Formation n Andres 22. Appro 0. 1-31	Lease Name 6 State md Pool, or Wildcat Cat 20. Rotary or C.T. Cable Tools x. Date Work will start - -81- EST. TOP Surface
B. Type of Well OIL WELL OTHER OTHER OTHER SINGLE	MULTIF ZC DM THE SOUTH 7-S RGE. 27-F 7-S RGE. 27-F NGE. 27-F 19A. Sa 11ing Contractor NT PROGRAM	B. Farm or MWJ 9. Well No 1 10. Field X Wildo LINE NMPM 12. County Eddy Formation n Andres 22. Appro 1-31 ACKS OF CEMENT 450	Ind Pool, or Wildcat and Pool, or Wildcat Cat 20. Rotary or C.T. Cable Tools x. Date Work will start - -81- EST. TOP Surface
OIL GAS WELL 0.7HER SINCLE ZONE 2. Name of Operator 0.7HER SINCLE ZONE 3. Address of Operator 0.7HER SINCLE ZONE 4. Location of Well Hamon Locateo 1980 UNIT LETTER LOCATED 1980 FEET FROM THE UNIT LETTER LOCATED 1980 LINE or sec. 16 TWP. 1 AND 1080 FEET FROM THE UNIT LETTER LINE or sec. 16 TWP. 1 LINE or sec. 16 TWP. 1 UNIT LETTER LINE or sec. 16 TWP. 1 UNIT LETTER LINE or sec. 16 TWP. 1 UNIT LETTER UNIT LETTER LOCATED 1980 FEET FROM THE West LINE or sec. 16 TWP. 1 UNIT LETTER VEET FROM THE West LINE or sec. 16 TWP. 1 UNIT LETTER VEET FROM THE West LINE or sec. 16 TWP. 1 Size of Hole Size of CASING Weight PER FOOT SET T/2	MULTIF ZC DM THE SOUTH 7-S RGE. 27-F 7-S RGE. 27-F NGE. 27-F 19A. Sa 11ing Contractor NT PROGRAM	B. Farm or MWJ 9. Well No 1 10. Field X Wildo LINE NMPM 12. County Eddy Formation n Andres 22. Appro 1-31 ACKS OF CEMENT 450	Ind Pool, or Wildcat and Pool, or Wildcat Cat 20. Rotary or C.T. Cable Tools x. Date Work will start - -81- EST. TOP Surface
2. Name of Operator 3. Address of Operator 3. Address of Operator 4. Location of Well um Building, Midland, Texas. 79701 UNIT LETTER K LOCATED 1980 FEET FROM AND 1080 FEET FROM THE Wost LINE OF SEC. 16 TWP. 1 19. Prop. 21. Elevations (Show whether DF, RT, etc.) 21. Elevations (Show whether DF, RT, etc.) 25. Blanket In Force Midla PROPOSED CASING AND CEMEL SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET 1.7 ¹ / ₁ 12-3/4 32 11. 8-5/8 24 7-7/8 5-1/2 15.5 2 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cement 2. Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement for 3. Drill 7-7/8" hole to 25GO 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	DM THE SOUTH 7-S RGE. 27-F Osed Depth 19A. Sa Illing Contractor nd Drilling Contractor NT PROGRAM	9. Well No 1 10. Field X Wildo LINE NMPM 12. County Eddy Formation n Andres 22. Appro 0. 1-31 ACKS OF CEMENT 450	and Pool, or Wildcat Cat 20. Rotary or C.T. Cable Tools x. Date Work will start -81- EST. TOP Surface
4. Eacedition of Well Building, Midland, Texas 79701 UNIT LETTER K LOCATED 1980 FEET FROM THE Wast LINE OF SEC. 16 NVP. 1 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 NVP. 1 INTELETTER LINE OF SEC. 16 NVP. 1 INTELETTER LINE OF SEC. 16 NUP. 1 INP. 1 </td <td>7-S RGE. 27-F osed Depth 19A. Sa lling Contractor nd Drilling Contractor</td> <td>1 10. Field X Wildo LINE NMPM 12. County Eddy Eddy Formation n Andres 22. Appro 1-31 ACKS OF CEMENT 450</td> <td>20. Rotary or C.T. Cable Tools x. Date Work will start EST. TOP Surface</td>	7-S RGE. 27-F osed Depth 19A. Sa lling Contractor nd Drilling Contractor	1 10. Field X Wildo LINE NMPM 12. County Eddy Eddy Formation n Andres 22. Appro 1-31 ACKS OF CEMENT 450	20. Rotary or C.T. Cable Tools x. Date Work will start EST. TOP Surface
A. Eacodition of Well Building, Midland, Texas 79701 UNIT LETTER K LOCATED 1980 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 AND 1980 Well 1980 2500 2500 2500 2500 A. Elevations(Show whether DF, RT, etc.) 312. Kind & Status Plug. Bond 218. Drill 218. Drill 2500 3. Drill 37.8 G.4 Blankot In Force Midlau Blankot 10. Status 32 24 32	7-S RGE. 27-F osed Depth 19A. Sa lling Contractor nd Drilling Contractor	X Wildo	20. Rotary or C.T. Cable Tools x. Date Work will start -81- EST. TOP Surface
AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 19.0 19.0 19.0 19.0 19.0 21. Elevations (Show whether DF, RT, etc.) 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 $G.4$ 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 $G.4$ Blanket in Force Midla PROPOSED CASING AND CEMER SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT 17½" 12-3/4 32 17.8 6.4 Blanket in Force Midla PROPOSED CASING AND CEMER 51ZE OF HOLE SIZE OF CASING WEIGHT PER FOOT 17½" 12-3/4 32 17.12 15.5 1.0 Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cement 2.0 Drill 17-7/8" hole to 2560 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	7-S RGE. 27-F osed Depth 19A. Sa lling Contractor nd Drilling Contractor	X Wildo	20. Rotary or C.T. Cable Tools *. Date Work will start -81- Surface
AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 19.0 19.0 19.0 19.0 19.0 21. Elevations (Show whether DF, RT, etc.) 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 $G.4$ 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 $G.4$ Blanket in Force Midla PROPOSED CASING AND CEMER SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT 17½" 12-3/4 32 17.8 6.4 Blanket in Force Midla PROPOSED CASING AND CEMER 51ZE OF HOLE SIZE OF CASING WEIGHT PER FOOT 17½" 12-3/4 32 17.12 15.5 1.0 Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cement 2.0 Drill 17-7/8" hole to 2560 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	7-S RGE. 27-F osed Depth 19A. Sa lling Contractor nd Drilling Contractor	LINE NMPM 12. County Eddy Eddy Formation n Andres 22. Appro 1-31 CKS OF CEMENT 450	20, Rotary or C.T. Cable Tools X. Date Work will start -81- EST. TOP Surface
AND 1980 FEET FROM THE Wast LINE OF SEC. 16 TWP. 1 19.0 19.0 19.0 19.0 19.0 21. Elevations (Show whether DF, RT, etc.) 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 \bigcirc 4. 10.0 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 \bigcirc 4. 10.0 10.0 21B. Dri 32 10.0 10.0 10.0 10.0 21B. Dri 32 11.0 10.0 10.0 10.0 21B. Dri 10.0 17½" 12-3/4 32 10.0 21B. Dri 11.0 17½" 12-3/4 32 11.0 11.0 11.0 10.0 21.0 21.0 1.0 Drill 17-1/2" hole & set 12-3/4" 32 12.0 12.0 12.0 12.0 12.0 1.0 Drill 17-1/2" hole & set 8-5/8" csg. @ 350'. Cement 7.0 2.0 12.0 12.0 12.0 1.0 Drill 17-7/8" hole to 2560 2.0 1.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 <	7-S RGE. 27-F osed Depth 19A. Sa lling Contractor nd Drilling Contractor	NMPM 12. County Eddy Formation n Andres 22. Appro 0. 1-31 CKS OF CEMENT 450	20. Rotary or C.T. Cable Tools *. Date Work will start -81- EST. TOP Surface
19. Prop. 21. Elevations(Show whether DF, RT; etc.) 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 Blanket In Force Midla PROPOSED CASING AND CEMEL SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SIZE 172 12-3/4 32 14 8-5/8 24 7-7/8 5-1/2 15.5 2 Drill 17-1/2" hole & set 8-5/8" csg. @ 1700'. Cement 3. Drill 7-7/8" hole to 2500 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks. <td>osed Depth 19A. Sa Illing Contractor Ind Drilling Contractor NT PROGRAM</td> <td>Pormation n Andres 22. Appro 0. 1-31 CKS OF CEMENT 450</td> <td>20, Rotary or C.T. Cable Tools x. Date Work will start -81- EST. TOP Surface</td>	osed Depth 19A. Sa Illing Contractor Ind Drilling Contractor NT PROGRAM	Pormation n Andres 22. Appro 0. 1-31 CKS OF CEMENT 450	20, Rotary or C.T. Cable Tools x. Date Work will start -81- EST. TOP Surface
1. Elevations (Show whether DF, RT, etc.) 21A. Kind & Status Plug. Bond 21B. Dri 3437.8 G.2. Blanket in Force Midla PROPOSED CASING AND CEMEN SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET 17½" 12-3/4 32 11 17½" 12-3/4 32 12 1 8-5/8 24 15.5 2 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cement 2. Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement 3 3. Drill 7-7/8" hole to 25GO 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	osed Depth 19A. Sa Illing Contractor Ind Drilling Contractor NT PROGRAM	Pormation n Andres 22. Appro 0. 1-31 CKS OF CEMENT 450	20, Rotary or C.T. Cable Tools x. Date Work will start -81- EST. TOP Surface
2500 2500 3 4 3 7. 8 G.4. Blanket In Force Midla PROPOSED CASING AND CEMEN SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET $17\frac{11}{2}$ $12-3/4$ 32 32 17 $\frac{11}{2}$ 12- $3/4$ 32 1. Drill 17- $1/2$ hole & set $12-3/4$ CSG. @ 350'. Ceme 1. Drill $17-1/2$ hole & set $12-3/4$ csg. @ 350'. Ceme 2. Drill $17-1/2$ hole & set $12-3/4$ csg. @ 350'. Ceme 3. Drill $17-1/2$ hole & set $8-5/8$ csg. @ 1700'. Cement 3. Drill $17-7/8$ hole to 25GO 4. Run electric logs. 5. Run $5-1/2$ csg. to T.D. & cement w/ 150 sacks.	lling Contractor nd Drilling C NT PROGRAM	Formation n Andres 22. Appro 2. Appro 1-31 ACKS OF CEMENT 450	Cable Tools x. Date Work will start -81- EST. TOP Surface
2500 2500 3 4 3 7. 8 G.4. Blanket In Force Midla PROPOSED CASING AND CEMEN SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET $17\frac{11}{2}$ $12-3/4$ 32 32 17 $\frac{11}{2}$ 12- $3/4$ 32 1. Drill 17- $1/2$ hole & set $12-3/4$ CSG. @ 350'. Ceme 1. Drill $17-1/2$ hole & set $12-3/4$ csg. @ 350'. Ceme 2. Drill $17-1/2$ hole & set $12-3/4$ csg. @ 350'. Ceme 3. Drill $17-1/2$ hole & set $8-5/8$ csg. @ 1700'. Cement 3. Drill $17-7/8$ hole to 25GO 4. Run electric logs. 5. Run $5-1/2$ csg. to T.D. & cement w/ 150 sacks.	lling Contractor nd Drilling C NT PROGRAM	Formation n Andres 22. Appro 2. Appro 1-31 ACKS OF CEMENT 450	Cable Tools x. Date Work will start -81 EST. TOP Surface
2500 2500 3 4 3 7. 8 G.4. 3. Blanket In Force Midla PROPOSED CASING AND CEMEN SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET $17\frac{1}{2}$ $12-3/4$ 32 17 $\frac{1}{2}$ 12-3/4 32 II	lling Contractor nd Drilling C NT PROGRAM	n Andres 22. Appro 0. 1-31 ACKS OF CEMENT 450	Cable Tools x. Date Work will start -81- EST. TOP Surface
2500 2500 3 4 3 7. 8 G.4. Blanket In Force Midla PROPOSED CASING AND CEMEN SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET $17\frac{11}{2}$ $12-3/4$ 32 32 17 $\frac{11}{2}$ 12- $3/4$ 32 1. Drill 17- $1/2$ hole & set $12-3/4$ CSG. @ 350'. Ceme 1. Drill $17-1/2$ hole & set $12-3/4$ csg. @ 350'. Ceme 2. Drill $17-1/2$ hole & set $12-3/4$ csg. @ 350'. Ceme 3. Drill $17-1/2$ hole & set $8-5/8$ csg. @ 1700'. Cement 3. Drill $17-7/8$ hole to 25GO 4. Run electric logs. 5. Run $5-1/2$ csg. to T.D. & cement w/ 150 sacks.	lling Contractor nd Drilling C NT PROGRAM	n Andres 22. Appro 0. 1-31 ACKS OF CEMENT 450	Cable Tools x. Date Work will start -81 EST. TOP Surface
3437.8 $G.4$ $21A. Kind & Status Plug. Bond 21B. Dri 3. Blanket in Force Midla PROPOSED CASING AND CEMEN SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET 17½" 12-3/4 32 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cement 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cement 2. Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement 3. Drill 7-7/8" hole to 25GO 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 $	lling Contractor nd_Drilling_C NT PROGRAM	22. Appro 1-31 ACKS OF CEMENT 450	x. Date Work will start -81 EST. TOP Surface
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	nd_Drilling_C NT PROGRAM	2. 1-31 ACKS OF CEMENT 450	x. Date Work will start -81 EST. TOP Surface
IBlanket in Force IMidla PROPOSED CASING AND CEME SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET 17½" 12-3/4 32 11 8-5/8 24 7-7/8 5-1/2 15.5 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Ceme 2. Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement 3. Drill 7-7/8" hole to 2500 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	NT PROGRAM	CKS OF CEMENT 450	EST. TOP Surface
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SET $17\frac{1}{2}$ " $12-3/4$ 32 32 11 $8-5/8$ 24 $7-7/8$ $5-1/2$ 15.5 22 1. Drill $17-1/2$ " hole & set $12-3/4$ " csg. @ 350 '. Ceme 250 '. Ceme 250 '. Ceme 2. Drill 11 " hole & set $8-5/8$ " csg. @ 1700 '. Cement 30 30 3. Drill $7-7/8$ " hole to 2560 4 . Run electric logs. 5 . Run $5-1/2$ " csg. to T.D. & cement w/ 150 sacks.		450	Surface
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	TING DEPTH S	450	Surface
17½" 12-3/4 32 11 8-5/8 24 7-7/8 5-1/2 15.5 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Ceme 2. Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement 3. Drill 7-7/8" hole to 2500 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.		450	Surface
11 8-5/8 24 7-7/8 5-1/2 15.5 2 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Ceme 2. Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement 3. Drill 7-7/8" hole to 2560 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	350		
7-7/8 5-1/2 15.5 1. Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Ceme 2. Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement 3. Drill 7-7/8" hole to 25GO 4. Run electric logs. 5. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks.	1 700		Surface
 Drill 17-1/2" hole & set 12-3/4" csg. @ 350'. Cem Drill 11" hole & set 8-5/8" csg. @ 1700'. Cement Drill 7-7/8" hole to 2560 Run electric logs. Run 5-1/2" csg. to T.D. & cement w/ 150 sacks. 	500	150	1400'
	to surface w/	e w/ 450 sack 1000 sacks.	5.
	Å	- CRIMIT EXPIRE	FOR <u>/8</u> DAY S <u>5-2-8/</u> ING UNDERWAY
NOTE: Verbal Permission to spud well from Mr. W.A. G ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEFREN OR PLUG B (E ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.		-	AND PROPOSED NEW PRC
ereby certify that the information above is true and complete to the best of my knowledge			
and Title_Drilling Forema			
(This space for State Use)	and belief.	$D_{ata} = 1 - 7$	1-81
	and belief.	Date1-3	1-81
PROVED BY W. C. Anset SUPERVISON	and belief. 3N	Date 1-3	1-81
NDITIONS OF APPROVAL, IF ANY: culstelement on 51/2" or tie back Cernent much be creatiated	and belief.	Date 1-3	

--**^**

NE AEXICO OIL CONSERVATION COMMISSI

, -

,

Form C-102 Supersedes C-128 Effective 1-1-65

	All dis	tances must be from	the outer boundaries of	the Section	
Jake L. H			MWJ 16	State	Well No.
	16 17		27 East	County Eddy	
Actual Footage Location of			1980 _{fee}	thom the West	
	from the South Producing Formation	line omd Po	1700 fee		line Dedicated Acreage:
3437,8	San Andres		Wildcat		40Acres
1 Outling the acre		e subject well		r hachure marks on the	
	e lease is dedicate				ereof (both as to working
dated by commun	nitization, unitizatio	n, force-pooling	. etc?	have the interests of a	all owners been consoli-
🔲 Yes 🛄 N	No If answer is	"yes." type of c	onsolidation		
this form if nece No allowable wil	ssary.) be assigned to the	well until all in	iterests have been o	consolidated (by comm	unitization, unitization, approved by the Commis-
		1		-	CERTIFICATION
				tained here	ntify that the information con- in is true and complete to the knowledge and belief.
				Name	Coper
		+		B.W. Coz	art
			• •	Position Drilling Company	Foreman
				Jake L.	Hamon
			I	January	31, 1981
1980'	980'			shown on th nates of a under my s is true and knowledge	
	196			Date Surveya Januar Registeres and/gi UR	Stesstonal English
0 330 660 1. 13	320 1686 1980 2310 2	840 2000	1500 1000 5	00 0 Certif Cone A	Sotor A West 676

hereivy certify that the information above is		wledge und belief. 19 Foreman	DATE 1-31-81
, pudded werr e and r.M.			
pudded mei'r e 🏎		· · ·	
, pudded werr e and r.m.			
, pudded werr e and r.m.			
pudded werr e ange r.m.,			
pudded werr e ange F.M.,			
pudded Well @ 4 P.M.,	1-31-81		
다. pudded Well @ 4국국 PM			
Duscribe Proposed or Completed Operations workj SRE RULE 1903,	(Clearly state all pertinent details, and	give portinent dates, includ	ing estimated date of starting any prop
тиса	07+		
PORM REMIDIAL WORK [] PORARILY ASANDON []	Сомия	IAL WORX	ALTERING CASING Plug and Abandonment
NOTICE OF INTENT		r	INT REPORT OF:
Check Approp	riate Box To Indicate Nature	of Notice, Report or	Other Data
MUTTELL	15, Elovation (Show whether DF, RT	, GR, etc.)	12. County
	томаране 17-5		
ocation of Wall	South	1980	10. Flotd and Pool, or Wildcat Wildcat
addreas of Operator 611 Petroleum Building, Mic		**********	9. Well No.
Jake L. Hamon			6. Form or Lease Name MWJ 16_State
			7. Unit Agreement Nume
SUNDRY NOT	ICES AND REPORTS ON WEAR	and the second se	
		O. C. D	5. State Off & Gas Lease No.
DPRATON		EB 02 1981	Sa. Indicate Type of Lease State 🕎 – Fee
MILE Image: Construction of the construction o	SANTA PE, NEW MES		