

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Yates Petroleum Corp</u>		Lease <u>Mc Murtry "QH"</u>		Well # <u>1</u>	
Location of Well	Unit <u>16503 I</u> <u>3306</u>	Section <u>25</u>	Township <u>16</u>	Range <u>25</u>	County <u>Eddy</u>
Drilling Contractor	<u>Artesia Fishing Tool</u>		Type of Equipment <u>Rotary</u> <u>3-3-81</u>		

* Witness

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
15"	10 3/4"	32#		400'	370 SX - Circ
9 1/2"	7"	20#		1250'	850 SX - Circ
6 1/4"	4 1/2"	9.5#		1500'	250 SX

Casing Data:

Surface joints of inch 18 # Grade K-55
(Approved) (Rejected)

Inspected by _____ date _____

Cementing Program

Size of hole 9 1/2" Size of Casing 7" Sacks cement required _____

Type of Shoe used guide Float collar used insert Btm 3 jts welded yes

TD of hole 1170' Set 1170' Feet of 7" Inch 18 # Grade K-55

New/used csg. @ 1170' with 150x sacks neat cement around shoe

+ 400 sax 65/35 perz. additives 4% gel, 8% Kelite, 1/4 cello., 3% cc

Plug down @ 1:30 (AM) (PM) Date 3/12/81

Cement circulated yes No. of Sacks 45

Cemented by Dowell Witnessed by Mike Stillfield

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____

No centralizers

lost 1066'