

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-036191

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Federales B0

9. WELL NO.

7

10. FIELD AND POOL, OR WILDCAT

Eagle Creek SA

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Unit B, Sec. 22-17S-25E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER ☐  
2. NAME OF OPERATOR Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

990' FNL &amp; 2310' FEL, Sec. 22-17S-25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DE, RT, GR, etc.)

3522' GR

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Perforate

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1486  
TD 1530'; PBD 1490'. WIH w/Steel Strip gun and perforated in 2 stages as follows:  
1st stage - 1314, 18, 24, 30, 35, 45, 50-1/2, 60, 66, 83, 98, 1408' w/12 .50" holes.  
Spotted 17 bbls HCL acid. 2nd stage - perforated 1312, 16, 21, 27, 32, 37, 43, 46, 57,  
63, 69, 81, 86, 89, 1401, 09-1/2' w/16 .50" holes. Frac'd w/60000 gals gelled 2%  
KCL fluid, 90000# sand (10000# 100 mesh & 80000# 20/40 sand), 30 gals A-Flow.  
Set pumping equipment.

18. I hereby certify that the foregoing is true and correct

SIGNED ACCEPTED FOR RECORD  
ROGER A. CHAPMAN  
(This space for Federal or State office use)TITLE Engineering SecretaryDATE 8-24-81APPROVED AUG 27 1981  
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

\*See Instructions on Reverse Side