

OIL CONSERVATION DIVISION

P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	<input checked="" type="checkbox"/>
LAND OFFICE	<input checked="" type="checkbox"/>
OPERATOR	<input checked="" type="checkbox"/>

5a. Indicate Type of Lease  
State ☐ Fee ☒  
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE APPLICATION FOR PERMIT - 1 (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Sharp QS Com
3. Address of Operator 207 S. 4th Street, Artesia, NM 88210	9. Well No. 1
4. Location of Well UNIT LETTER <u>P</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>4</u> TOWNSHIP <u>17s</u> RANGE <u>26e</u> NMPM.	10. Field and Pool, or Wildcat Wildcat Strawn
15. Elevation (Show whether DF, RT, GR, etc.) 3342 GR = 3356 KB	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPERATIONS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	Plugback <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Straddled old Morrow perms 8118-22 and treated with 1000g. 7½% MSA + Nitrogen and block, flowed back and swabbed dry, had small show of gas, no pressure, appears to be depleted. Perforated Morrow Lime at 8007-12, treated with 1000g. 7½% MSA + N<sub>2</sub>, flowed back and swabbed dry, gas TSTM, ONSIP-260#, not commercial. Morrow abandoned with CIBP at 7900' with 35' cement on top of plug. Perforated Strawn Sand at 7802-08 with 10 shots, acidized with 1500g. 15% DS-30 + Nitrogen and balls, flowed back load and stabilized at 125 psi on 16/64 choke. Shut in for BHP buildup.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Eddie Mahfood</u>	TITLE <u>Eddie Mahfood, Engineer</u>	DATE <u>11-18-82</u>
APPROVED BY <u>Larry L. Brooks</u> Geologist		DATE <u>NOV 23 1982</u>
CONDITIONS OF APPROVAL: <u>NO MOD. DIST. II</u>		

Post ID-2  
11-26-82  
Zone PIA-Mm.