

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088 RECEIVED  
Santa Fe, New Mexico 87504-2088

APR - 5 1991

O. C. D.

ARTESIA, OFFICE

WELL API NO.  
30-015-23793

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Sharp QS Com

8. Well No.  
1

9. Pool name or Wildcat  
Undes. Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
OIL WELL ☒ GAS WELL ☐ OTHER ☐ REVISED SUNDRY

2. Name of Operator  
YATES PETROLEUM CORPORATION

3. Address of Operator  
105 South 4th St., Artesia, NM 88210

4. Well Location  
Unit Letter P : 660 Feet From The south Line and 660 Feet From The east Line

Section 4 Township 17S Range 26E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3356' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Plugback, perforate, treat Wolfcamp ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

REVISED REPORT FOR WORK DONE IN 1990\*.

3-27-90. Perforated 6646-6712' w/16 .42" holes as follows: 6646, 48, 50, 54, 56, 58, 66, 67, 78, 80, 82, 6706, 07, 08, 11 and 6712'. \*Could not latch onto RBP at 7305'. WBIH w/overshot and circulated on top of RBP. Would not stay latched on. (RBP not recovered.) Shut well in for pressure buildup.

4-25-90. WIH w/packer and RBP. Tested casing in hole. Located hole at 4164'. Pulled 2-3/8" tbg. Set CIBP 6570' w/30' cement on top. WIH on wireline. Perforated 2 squeeze holes at 5670'. POH. WIH w/pkr. Established injection rate. Set retainer 5610' on wireline. WIH w/stinger on tubing. Stung in retainer. Established circulation. Cemented w/400 sx Class C w/2000# salt and 150# Halad-322. Pull out of retainer. Circulate hole clean. POH. WOC. Cleaned out to 5596'.

4-28-90. Perforated Wolfcamp 5378-5392' w/24 .42" holes as follows: 5378, 79, 80, 81, 82, 83, 84, 88, 89, 90, 91 and 5392' (2 SPF). Treated perfs w/2000 gals 15% NEFE acid. Well turned over to production to stopcock 4-30-90.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*Juanita Goodlett*

TITLE Production Supervisor

DATE 4-4-91

TYPE OR PRINT NAME

Juanita Goodlett

TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY  
MIKE WILLIAMS

APPROVED BY

SUPERVISOR, DISTRICT II

TITLE

DATE

APR 8 1991

CONDITIONS OF APPROVAL, IF ANY: