

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
Artesia, NM 88210LEASE  
NM-15439

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Star Federal

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Wildcat (Morrow)

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 5, T-16-S, T-29-E

12. COUNTY OR PARISH

Eddy County

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3605.8' GR

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR

The Superior Oil Company

3. ADDRESS OF OPERATOR

P. O. Box 3901 Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1480' FNL, 660' FWL, Sec 5

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON\* ☐

(other) Weekly Drilling Report

RECEIVED  
JUL 1 1982

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

OIL & GAS  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

6-16-82 drld to 5,970'

6-17-82 svy 2° @ 6,176', drld to 6,240', svy 3° @ 6,240', POH, lost cone off drl bit, GIH w/magnet

6-18-82 fishing, POH w/fish, TIH, drlg, svy 3 1/2° @ 6,300', drld to 6,390'

6-19-82 drlg, svy 3° @ 6,424', drlg, svy 3 1/2° @ 6,540', drld to 6,632'

6-20-82 drlg, svy 2 3/4° @ 6,637', drlg, svy 2° @ 6,794', drld to 6,835'

6-21-82 drlg, svy 2° @ 6,913', drlg, POH, TIH w/bit #6, drld to 7,035'

6-22-82 drlg, svy 2 1/2° @ 7,103', drlg, svy 2 1/4° @ 7,196', drlg, svy 1 3/4° @ 7,320', drld to 7,487'

6-23-82 drld to 7,985'

6-24-82 drlg, svy 1 1/2° @ 7,989', drld to 8,355'

6-25-82 drlg, svy 1 3/4° @ 8,504', drld to 8,524', POH, TIH w/bit #7, wshd &amp; rmd 8,432'-8,494', mudding up

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

G. E. Tate

(ORIG. SGD.) DAVID R. GLASS

(This space for Federal or State office use)

TITLE

DATE

APPROVED BY

CONDITIONS OF APPROVAL

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

See Instructions on Reverse Side