

STATE OF NEW MEXICO
OIL AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

TYPE OF WELL OilOIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

TYPE OF COMPLETION

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

Name of Operator

OCT 5 1982

Yates Petroleum Corporation

Address of Operator

207 South 4th St., Artesia, NM 88210

Location of Well

7. Unit Agreement Name

8. Farm or Lease Name

Ingram Jackson BV

9. Well No.

8

10. Field and Pool, or Wildcat

Eagle Creek SA

BY LETTER B LOCATED 330 FEET FROM THE North LINE AND 1650 FEET FROM

12. County

Eddy

East LINE OF SEC. 27 TWP. 17S RGE. 25E NMPM

Date Spudded

9-2-82

16. Date T.D. Reached

9-6-82

17. Date Compl. (Ready to Prod.)

10-1-82

18. Elevations (DF, RKB, RT, GR, etc.)

3520' GR

19. Elev. Casinghead

Total Depth

1500'

21. Plug Back T.D.

1477'

22. If Multiple Compl., How Many

23. Intervals Drilled By Rotary Tools

0-1500'

Cable Tools

Producing Interval(s), of this completion - Top, Bottom, Name

1321-1477' San Andres

25. Was Directional Survey Made

No

Type Electric and Other Logs Run

Gamma Ray-Neutron

27. Was Well Cored

No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10-3/4"	40.5#	350'	14-3/4"	225	
7"	20#	1140'	9-7/8"	500	
4-1/2"	9.5#	1478'	6-1/4"	175	

LINER RECORD

30. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-3/8"	1262'	

Perforation Record (Interval, size and number)

1321-1453' w/27 .50" holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
1321-1453'	w/60000g. gel KCL wtr, 120000# (110000# 20/40 sd & 10000# 100 mesh) sd, 2000 g. 15% acid.

PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)	
9-22-82		Pumping				Producing	
Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
10-1-82	24	2"		29	25	13	862/1
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	
25#	25#		29	25	13	38.2°	
Disposition of Gas (Sold, used for fuel, vented, etc.)						Test Witnessed By	
Sold						Norbert McCaw	

List of Attachments

Deviation Survey

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

TITLE Engineering Secretary

DATE 10-4-82

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
Il. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Qtzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Granite	T. Todilto	T.
T. Drinkard	T. Delaware Sand	T. Entrala	T.
T. Abo	T. Bone Springs	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn.	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 4, from.....to.....
No. 2, from.....to..... No. 5, from.....to.....
No. 3, from.....to..... No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet


No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	425	425	Gravel, Redbeds, Alluvian				
425	1143	718	Redbeds, Anhydrite				
1143	1500	357	Dolomite, Lime				



LaRue Drilling Co., Inc. — Oil Well Drilling Contractors

P. O. BOX 202 ARTESIA, NEW MEXICO 88210

RECEIVED

OCT 5 1982

O. C. D.
ARTESIA, OFFICE

September 8, 1982

Yates Petroleum Corporation /
207 South Fourth Street
Artesia, NM 88210

RE: Ingram Jackson BV #8
330' FNL & 1650' FEL
Sec. 27, T17S, R25E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above
captioned well.

DEPTH	DEVIATION
350'	1/4°
870'	1/2°
1143'	1/2°
1500'	3/4°

Very truly yours,

B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

§
(

The foregoing was acknowledged before me this 8th
day of September, 1982.

