

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER 10
ALTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Yates Pet. Co.</u>		Lease <u>Ingram Jackson BV</u>		Well # <u>9</u>	
Location of Well	Unit <u>B</u>	Section <u>27</u>	Township <u>17S</u>	Range <u>25E</u>	County <u>Eddy</u>
Drilling Contractor	<u>LAM #2</u>		Type of Equipment <u>ROTARY</u>		

* WITNESS

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>14 1/2"</u>	<u>10 3/4"</u>	<u>30#</u>	<u>NEW</u>	<u>340'</u>	<u>Circ</u>
* <u>9 1/2"</u>	<u>7"</u>	<u>28#</u>	<u>"</u>	<u>1140'</u>	<u>Circ</u>
<u>6 1/4"</u>	<u>4 1/2"</u>	<u>9.5#</u>	<u>"</u>	<u>1500'</u>	<u>Circ</u>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 9 1/2 Size of Casing 7 Sacks cement required 350' circ

Type of Shoe used Ball Float collar used lower Btm 3 jts welded Yes

TD of hole 1154 Set 115 Feet of 7 Inch 20 # Grade SS

New-used csg. @ 1154 with 150 sacks neat cement around shoe Circ 2 1/2 cals
+ 275 sax 1154 additives 3 1/2 cals

Plug down @ 7 30 (AM) (PM) Date 11/6/82

Cement circulated 100 No. of Sacks 30

Cemented by LAM #2 Witnessed by Ray Buckles

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____