

STATE OF NEW MEXICO
OIL AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

DEC 27 1982

O. C. D.

ARTESIA, OFFICE

8. Farm or Lease Name
Eagle Creek BL

9. Well No.
3

10. Field and Pool, or Wildcat

Eagle Creek SA

12. County
Eddy

19. Elev. Casinghead

Cable Tools

25. Was Direct Made

No

No

NO. OF COPIES RECEIVED	☒
DISTRIBUTION	☒
SANTA FE	☒
FILE	☒
S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒
TYPE OF WELL	☒

TYPE OF COMPLETION
WORK OVER ☐

NAME OF OPERATOR

Yates Petroleum Corporation
207 South 4th St., Artesia, NM 88210

Direction of Well

N

LOCATED 990

FEET FROM THE South

LINE AND 2310

LETTER

N

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

17S

RGE.

25E

NADP

18. Elevations (DF, RKB, RT, GR, etc.)

3500' GR

23. Intervals Drilled By

Rotary Tools

0-1500'

27. Was Well Cor

West

LINE OF REC.

23

TWP.

1



This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or reopened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quadruplicate except on state land, where six copies are required. See Rule 1105.

Southeastern New Mexico

T. Anhy _____	T. Canyon _____
T. Salt _____	T. Strawn _____
T. Salt _____	T. Atoka _____
T. Yates _____	T. Miss _____
T. 7 Rivers _____	T. Devonian _____
T. Queen _____	T. Silurian _____
T. Grayburg _____	T. Montoya _____
T. San Andres <u>717</u>	T. Simpson _____
T. Glorieta _____	T. McKee _____
T. Paddock _____	T. Ellenburger _____
T. Blinberry _____	T. Gr. Wash _____
T. Tubb _____	T. Granite _____
T. Drinkard _____	T. Delaware Sand _____
T. Abo _____	T. Bone Springs _____
T. Wolfcamp _____	T. _____
T. Penn. _____	T. _____
T. Cisco (Beugh C) _____	T. _____

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Menefee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Qtzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. _____
T. Morrison _____	T. _____
T. Todilto _____	T. _____
T. Entrada _____	T. _____
T. Wingate _____	T. _____
T. Chinle _____	T. _____
T. Permian _____	T. _____
T. Penn. "A" _____	T. _____

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

No. 4, from.....to.....feet.....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	496	496	Surface, Redbeds, Alluvial				
496	990	494	Dolomite, Sandstone Redbeds				
990	1500	510	Dolomite				



LaRue Drilling Co., Inc.

PHONE: 505-746-4405

P. O. BOX 202

ARTESIA, NEW MEXICO 88210

November 16, 1982

Yates Petroleum Corporation ✓
207 South Fourth Street
Artesia, NM 88210

RECEIVED

DEC 27 1982

O. C. D.
ARTESIA, OFFICE

Re: Eagle Creek BL #3
990' FSL & 2310' FWL
Sec. 23, T17S, R25E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
357'	1/4°
748'	1/4°
1140'	1/2°
1500'	3/4°

Very truly yours,

B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 16th day of November, 1982.

