

STATE OF NEW MEXICO
OIL AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	✓
FILE	✓
REG. DIV.	✓
LAND OFFICE	
OPERATOR	

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

MAR 17 1983

O. C. D.
ARTESIA, OFFICE

5a. Indicate Type of Lease State ☐ Fee ☒
5. State Oil & Gas Lease No.
7. Unit Agreement Name
8. Farm or Lease Name Gissler AV
9. Well No. 33
10. Field and Pool, or Wildcat Eagle Creek SA
12. County Eddy

TYPE OF WELL Oil Well ☒ GAS WELL ☐ DRY ☐ OTHER ☐
TYPE OF COMPLETION NEW ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. REVEN. ☐ OTHER ☐
Name of Operator Yates Petroleum Corporation ✓
Address of Operator 207 South 4th St., Artesia, NM 88210
Location of Well

SECTION B LOCATED 990 FEET FROM THE North LINE AND 2310 FEET FROM East LINE OF SEC. 23 TWP. 17S RGE. 25E NMPM

Date Spudded 2-8-83	16. Date T.D. Reached 2-11-83	17. Date Compl. (Ready to Prod.) 3-11-83	18. Elevations (DF, RKB, RT, GR, etc.) 3489' GR	19. Elev. Casinghead
Total Depth 1510'	21. Plug Back T.D. 1491'	22. If Multiple Compl., How Many	23. Intervals Drilled By Rotary Tools 0-1510'	Cable Tools
Producing Interval(s), of this completion - Top, Bottom, Name 1278-1417' San Andres				25. Was Directional Survey Made No
Type Electric and Other Logs Run Gamma Ray-Neutron				27. Was Well Cored No

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"		40'			
10-3/4"	40.5#	370'	14-3/4"	275	
7"	23#	1147'	9-7/8"	450	
4-1/2"	9.5#	1492'	6-1/4"	200	

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

SIZE	DEPTH SET	PACKER SET
2-3/8"	1209'	-

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
1283-1417'	w/2000g. 15% acid
1278-1415'	SF w/1000g. 15% acid, 60000g. gel KCL wtr, 10000# 100 mesh, 100000# 20/40 sd.

First Production 3-1-83	Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping	Well Status (Prod. or Shut-in) Producing
Date of Test 3-11-83	Hours Tested 24	Choke Size 2"
Flowing Pressure 25#	Calculated 24-Hour Rate 19	Oil - Bbl. 19
Disposition of Gas (Sold, used for fuel, vented, etc.) Sold	Gas - MCF 22	Water - Bbl. 16
	Oil Gravity - API (Corr.) 39°	Gas - Oil Ratio 1158/1
Test Witnessed By Norbert McCaw		

List of Attachments
Deviation Survey

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Production Supervisor DATE 3-16-83

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or re-opened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quadruplicate except on state land, where six copies are required. See Rule 1105.

Southeastern New Mexico

T. Anhy _____
T. Salt _____
B. Salt _____
T. Yates _____
T. 7 Rivers _____
T. Queen _____
T. Grayburg _____
T. San Andres _____ 720
T. Glorieta _____
T. Paddock _____
T. Blinebry _____
T. Tubb _____
T. Drinkard _____
T. Abo _____
T. Wolfcamp _____
T. Penn. _____
T. Cisco (Bought C) _____

T. Canyon _____
T. Strawn _____
T. Atoka _____
T. Miss _____
T. Devonian _____
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Granite _____
T. Delaware Sand _____
T. Bone Springs _____
T. _____
T. _____
T. _____

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Point Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn. "A" _____

T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Qtzite _____
T. Granite _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____

No. 1, from.....to..... No. 4, from.....to.....
No. 2, from.....to..... No. 5, from.....to.....
No. 3, from.....to..... No. 6, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	60	60	Surface				
60	425	355	Redbeds, Alluvian				
425	1300	875	Anhydrite, Shale				
1300	1510	210	Lime, Anhydrite				

ARTESIA FISHING TOOL COMPANY

ARTESIA, NEW MEXICO 88210

RECEIVED

February 22, 1983

FEB 24 1983

Yates Petroleum Corporation ✓
207 South Fourth Street
Artesia, NM 88210

ARTESIA OFFICE

Re: Gissler AV #33
990' FNL & 2310' FEL
Sec. 23, T17S, R25E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
370'	1/4 ⁰
756'	1/4 ⁰
1143'	1/4 ⁰
1510'	1/2 ⁰

Very truly yours,



B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

Ø
Ø

The foregoing was acknowledged before me this 22nd day of February, 1983.

