

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐

2. NAME OF OPERATOR  
Diamondback Petroleum, Inc.

3. ADDRESS OF OPERATOR  
P.O. Box 2938, Ruidoso N.M. 88345

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 2970 FSL 990 FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Spud and CSNG Report		

5. LEASE  
NM - 18226

6. IF INDIAN, ALLOTTEE, OR TRIBE NAME  
JUL 15 1983

7. UNIT AGREEMENT NAME  
O. C. D.  
ARTESIA, OFFICE

8. FARM OR LEASE NAME  
Teresa A. Federal

9. WELL NO.  
1

10. FIELD OR WILDCAT NAME  
Wildcat San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 5-T16S-R30E

12. COUNTY OR PARISH  
Eddy

13. STATE  
N.M.

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3803.2 GL 3813 KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- 4-30-83 Spud well @ 9:15 AM W/17 1/2" hole drilled to 40' set 40' 13-3/8" 50.5# conductor pipe. Cmt. W/3 yds ready mix.
- 5-1-83 W.O. Artesia Fishing Tools Rig # 1
- 5-8-83 Move in Rotary Rig. Started drilling @ 3:45 PM W/12 1/4" hole. Lost circ. @ 233' dry drill to 515"
- 5-10-83 TD 515 run 14 jts. 8 5/8" 24# CSNG set @ 507" cmt w/100 sxs class C 2% CCl<sub>2</sub> 1/2# Flocele tailed in w/250 sxs Class C 2% CCl<sub>2</sub> plug down @ 6:30 PM. Cmt. did not circulate W.O.C.
- 5-11-83 Ran Temp survey top @ 235' one inch w/30 sxs class C woc 2 hrs Tag cmt @ 150' 2nd stage 140 sxs class C cir. 15 sxs to pit. Pressure test csng to 700# for 30 min. Drilled out @ 11:15 PM reduced hole to 7 7/8".

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED \_\_\_\_\_ TITLE Geologist DATE 5/12/83

ACCEPTED FOR RECORD (space for Federal or State office use)

APPROVED BY (ORIG. SGD.) DAVID R. GLASS DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL IF ANY:

JUL 14 1983

ROSWELL, NEW MEXICO

\*See Instructions on Reverse Side