


STATE OF NEW MEXICO
OIL AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501
ARTESIA OFFICE

Form C-105
Revised 10-1-78



NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease
State ☐ Fed ☒
5. Lease or Oil Lease No.

TYPE OF WELL Oil
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐
TYPE OF COMPLETION
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

7. Unit Agreement Name
8. Form or Lease Name
Gable FV

Name of Operator
Yates Petroleum Corporation
Assigned Operator
207 South 4th St., Artesia, NM 88210

9. Well No.
2
10. Field and Part, if Wellcat
Eagle Creek SA

Location of well
T. G LOCATED 2310 FEET FROM THE North LINE AND 1650 FEET FROM
East 29 TWP. 17S RSP. 25E

12. County
Eddy

Date Spudded 9-25-83 16. Date T.D. Reached 9-28-83 17. Date Compl. (Ready to Prod.) 11-21-83 18. Elevations (DI, RKB, RT, GR, etc.) 3596' GR 19. Elev. Casinghead

Total Depth 1500' 21. Plug Back T.D. 1489' 22. If Multiple Compl., How Many Many 23. Interval Drilled By 0-1500' Rotary Tools
Cable Tools

24. Interval(s), of this completion - Top, Bottom, Name 1163-1327' San Andres 25. Was Directional Core Made No

26. Type Electric and Other Logs Run Gamma Ray-Neutron 27. Was Well Cored No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LBS./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"		40'			
10-3/4"	40.5#	391'	14-3/4"	225	
7"	20#	1143'	9-7/8"	675	
4-1/2"	9.5#	1500'	6-1/4"	150	

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-3/8"	1137'	-

Perforation Record (Interval, size and number)

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
1163-1327'	SF w/1000 g. 15% acid and 110000# (10000# 100 Mesh + 100000# 20/40) sand.

PRODUCTION

First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
11-12-83	Pumping	Producing
Date of Test	Hours Tested	Choke Size
11-21-83	24	Open
Prod'n. For Test Period	Oil - Bbl.	Gas - MCF
	2	3
Water - Bbl.	Gas - Oil Ratio	
3	1500/1	
Casing Pressure	Calculated 24-Hour Rate	Oil Gravity - API (corr.)
12#	2	37°

Disposition of Gas (sold, used for fuel, vented, etc.) Vented - Will be sold Test Witnessed By Norbert McCaw

List of Attachments
Deviation Survey

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED Ja. Santa, Doc. M... TITLE Production Supervisor DATE 11-30-83

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths; in the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quadruplicate except on state land, where six copies are required, per Rule 1155.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Quartz _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blainebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilte _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Hough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet


No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	40	40	Surface Rock				
40	940	900	Redbeds				
940	1140	200	Redbeds, Anhydrite				
1140	1500	360	Lime				




L & M DRILLING, INC. - Oil Well Drilling Contractors

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

September 30, 1983



Yates Petroleum Corporation
207 South Fourth Street
Artesia, NM 88210

"FV"
Re: Gable ~~EX~~ #2
2310' FNL & 1650' FEL ✓
Sec. 29, T17S, R25E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
391'	1/4°
765'	1/2°
1140'	1/2°
1500'	1°

Very truly yours,

B. N. Muncy Jr.
President

STATE OF NEW MEXICO
COUNTY OF EDDY

ℓ
ℓ

The foregoing was acknowledged before me this
30th day of September, 1983.

