

UNITED STATES

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

| | | | | | | |
|---|----------------------------------|---|--|----------------------------------|--|--------------------------------------|
| 1a. TYPE OF WELL: | | OIL WELL <input checked="" type="checkbox"/> | GAS WELL <input type="checkbox"/> | DRY <input type="checkbox"/> | | |
| b. TYPE OF COMPLETION: | | NEW WELL <input checked="" type="checkbox"/> | WORK OVER <input type="checkbox"/> | DEEP-EN <input type="checkbox"/> | PLUG BACK <input type="checkbox"/> | DIFF. REVR. <input type="checkbox"/> |
| 2. NAME OF OPERATOR Metex Pipe & Supply | | | | | | |
| 3. ADDRESS OF OPERATOR 2407 Sierra Vista Rd. Artesia, New Mexico 88210 | | | | | | |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1650' FSL & 2310' FEL S-4, T-16S, R-31E Eddy County, N.M. At top prod. interval reported below At total depth | | | | | | |
| 14. PERMIT NO. | | DATE ISSUED AUG 13 1984 O. C. D. ARTESIA, OFFICE | | | | |
| 15. DATE SPUDDED 5-22-84 | 16. DATE T.D. REACHED 5-30-84 | 17. DATE COMPL. (Ready to prod.) 8-5-84 | 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 4153.0 GL | | 19. ELEV. CASINGHEAD 4152.5 | |
| 20. TOTAL DEPTH, MD & TVD 3715' | 21. PLUG, BACK T.D., MD & TVD | 22. IF MULTIPLE COMPL., HOW MANY* | 23. INTERVALS DRILLED BY → | ROTARY TOOLS ALL | CABLE TOOLS -0- | |
| 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 3561-3573 KB | | | | | 25. WAS DIRECTIONAL SURVEY MADE yes | |
| 26. TYPE ELECTRIC AND OTHER LOGS RUN CNGR | | | | | 27. WAS WELL CORED no | |

| 28. CASING RECORD (Report all strings set in well) | | | | | |
|--|-----------------|----------------|---------------|-------------------|---------------|
| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD | AMOUNT PULLED |
| 9 5/8 | 32.4 | 327 | 12 1/2 | 176 sx. Halco "C" | |
| 4 1/2 | 10.5 & 11.6 | 3700 | 8 3/4 & 7 7/8 | 700 sx Halco lite | |
| | | | | 300 sx Halco "C" | |

| 29. LINER RECORD | | | | | 30. TUBING RECORD | | |
|------------------|----------|-------------|---------------|-------------|-------------------|----------------|-----------------|
| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) |
| | | | | | 2 3/8 EUE | 3600' | |

| | | | |
|--|--|--|---|
| 31. PERFORATION RECORD (Interval, size and number) 4 sand jet perfs 3561' KB 4 sand jet perfs 3573' KB | | 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. | |
| | | DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED |
| | | 3561'-3573' KB | 500 gal. 15% HCL acid |
| | | 3561'-3573' KB | 20,000 gal. gelled water & 25,000 lb. 20/40 sand & 5,000 lb. 10/20 sand |

| 33.* PRODUCTION | | | | | | | |
|--|--------------------|---|------------------------------|------------------|----------------|---|---------------|
| DATE FIRST PRODUCTION 8-6-84 | | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) pumping art. lift | | | | WELL STATUS (Producing or shut-in) producing | |
| DATE OF TEST 8-6-84 | HOURS TESTED 24 | CHOKER SIZE none | PROD'N. FOR TEST PERIOD → | OIL—BBL. 1749 | GAS—MCF. 10 | WATER—BBL. | GAS-OIL RATIO |
| FLOW. TUBING PRESS. | CASING PRESSURE | CALCULATED 24-HOUR RATE → | OIL—BBL. | GAS—MCF. | WATER—BBL. | OIL GRAVITY-API (CORR.) | |
| 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) vented | | | | | | TEST WITNESSED BY AUG 10 1984 | |
| 35. LIST OF ATTACHMENTS | | | | | | | |

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED

Martin B. Murry
Martin B. Murry

TITLE owner

DATE 8-7-84

(See instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

| 37. SUMMARY OF POROUS ZONES: | | | | 38. GEOLOGIC MARKERS | | | |
|--|-------|--------|-----------------------------|----------------------|-------------|------------------|--|
| SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES | | | | | | | |
| FORMATION | TOP | BOTTOM | DESCRIPTION, CONTENTS, ETC. | NAME | TOP | | |
| | | | | | MEAS. DEPTH | TRUE VERT. DEPTH | |
| QUEEN | 2850' | 2885' | SAND | | | | |
| Penrose | 3075' | 3160' | SAND | | | | |
| GRAYBURG | 3246' | 3310' | DOLOMITE | | | | |
| SAN ANDRES | 3585" | | LIMESTONE | | | | |