INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-diffied or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, itema 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

T. B. T. T. T. T. T. T. T. T.	7 Rivers Queen Grayburg San Andres2647 Glorieta Paddock Blinebry Tubb	T. Strawn	8131 8530	T. T. T. T. T. T. T. T. T. T.	Ojo Alamo Kirtland-Fruitland Pictured Cliffs Cliff House Menefee Point Lookout Mancos Gallup se Greenhorn Dakota Todilto Entrada	T. T. T. T. T. T. T. T. T. T.	Penn. "C" Penn. "D" Leadville Madison Elbert McCracken Ignacio Qtzte Granite
т. Т	Abo 4665 Wolfcomp 5865 Penn.	T. Bone Springs T.M <u>orrow Clast</u> T.Chester T	ic 8749 8992 IL OR GAS	T. T. T. T. S	Wingate Chinle Permian Penn. "A" ANDS OR ZONES	- T. - T. - T.	
No.	2, from	to	*****	No	5, from		

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

Southeastern New Mexico

No.	1,	from	to	**************************************
No.	2,	from	to	••••••••••••••••••••••••••••••••••••••
No.	\$,	from	to	9 - 1 - 4 - 1 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5
No.	4,	from	tofeet.	••••••••••••••••••••••••••••••••••••••

FORMATION RECORD (Attach additional sheets if necessary)

	To	Thickness in Feet	. Formation	From	То	Thickness in Feet	Formation
0 7	70	70	Surface				
70 4	410	340	Redbeds, Anhydrite				
410 1	1334	924	Anhydrite, Lime				
	1510	176	Dolomite, Anhydrite				
	1960	450	Dolomite				
1960 2	2020	60 🐙	Dolomite, Anhydrite				
,	2300	280	Dolomite				
	28 70	570	Dolomite, Anhydrite				
	306 0	190	Dolomite				
1	3280	220	Dolomite, Sand, Anhydrite				
	4015	735	Dolomite				×.
4015 4	4315	300	Dolomite, Sand				~
	5900	1585	Dolomite, Shale				
	6000	100	Lime, Dolomite, Shale		1		
	9060	3060	Lime, Shale				