


STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.O.S.	☒
LAND OFFICE	☒
OPERATION	☒



5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
B-1969

1a. TYPE OF WELL
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐
b. TYPE OF COMPLETION
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

7. Unit Agreement Name
8. Farm or Lease Name
Collier St.
9. Well No.
17

2. Name of Operator
Marbob Energy Corporation
3. Address of Operator
P.O. Drawer 217, Artesia, N.M. 88210
4. Location of Well

10. Field and Pool, or Wildcat
Red Lake Qn Grbg SA

UNIT LETTER L LOCATED 1980 FEET FROM THE South LINE AND 330 FEET FROM
THE West LINE OF SEC. 22 TWP. 17S RGE. 28E NMPM
15. Date Spudded 1/21/85 16. Date T.D. Reached 1/26/85 17. Date Compl. (Ready to Prod.) 3/7/85 18. Elevations (DF, RKB, RT, GR, etc.) 3611.6' GR 19. Elev. Casinghead 3611.6' GR

12. County
Eddy

20. Total Depth 3550' 21. Plug Back T.D. 3513' 22. If Multiple Compl., How Many
23. Intervals Drilled By Rotary Tools Cable Tools
0-3550'

24. Producing Interval(s), of this completion - Top, Bottom, Name
2288-2857' San Andres
25. Was Directional Survey Made
Yes

26. Type Electric and Other Logs Run
Dual spaced neutron, Acoustic cement bond Micro-seismogram
27. Was Well Cored
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	497'	12 1/4"	350 sax	None
5 1/2"	15.50#	3550'	7 7/8"	800 sax	None

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

30. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	2877'	

31. Perforation Record (Interval, size and number)
2288-2857' attached
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2288-2857'	8000 bbl gel wtr, 200,000# 20/40; 200,000# 12/20; 60,000# 8/16 sand; 4000 gal. 10% NE acid

PRODUCTION

First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
3/7/85	Pumping - 2"	Prod.

Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
3/8/85	24			24	to pipeline	29	

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)
			24	to pipeline	29	

34. Disposition of Gas (Sold, used for fuel, vented, etc.)
Sold
Test Witnessed By
Arthur D. Harris

35. List of Attachments
Perforations, deviation survey, logs

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.
SIGNED Carab. G. Garcia TITLE Production Clerk DATE 3/15/85

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 1968'	T. Simpson	T. Gallup	T. Ignacio Qtzite
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinberry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Granite	T. Todilto	T.
T. Drinkard	T. Delaware Sand	T. Entrada	T.
T. Abo	T. Bone Springs	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn.	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 4, from.....to.....
No. 2, from.....to.....	No. 5, from.....to.....
No. 3, from.....to.....	No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....
No. 4, from.....to.....feet.....

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	100	100	Caliche, sand	950	1200	250	Anhy, lime
100	135	35	Sand, shale	1200	1250	50	Anhy
135	190	55	Sand, gravel, shale	1250	1300	50	Anhy, sand
190	245	55	Shale	1300	1400	100	Anhy, dolo
245	345	100	Red bed	1400	1425	25	Sand, dolo, anhy
345	400	55	Anhy	1425	1500	75	Shale, anhy, dolo
400	525	125	Anhy, shale	1500	1550	50	Sand, shale, dolo, anhy
525	580	55	Sand, anhy	1550	1600	50	Shale, dolo, anhy
580	650	70	Red bed, anhy	1600	1650	50	Shale, anhy
650	675	25	Anhy, shale	1650	1700	50	Shale, dolo, anhy
675	725	50	Anhy	1700	2200	500	Dolo, anhy
725	800	75	Anhy, sand	2200	3000	800	Dolo.
800	950	150	Anhy, lime, sand	3000	3550	550	Dolo, anhy
				3550			TD
				3513			PBTD

Marbob Energy Corporation
Collier St. #17
Perforations

2288	2694
2313	2699
2319	2710
2338	2718
2347	2730
2353	2734
2361	2847
2366	2851
2370	2854
2374	2857
2382	
2391	
2397	
2407	
2414	
2422	
2426	
2449	
2465	
2492	
2497	
2504	
2510	
2514	
2519	
2564	
2569	
2579	
2591	
2595	
2599	
2607	
2617	
2619	
2628	
2630	
2640	
2645	
2659	
2662	



LaRue Drilling Co., Inc. — Oil Well Drilling Contractors

P. O. BOX 302 ARTESIA, NEW MEXICO 88210
470

January 29, 1985

Marbob Energy Corporation
PO Box 304
Artesia, NM 88210

Re: Collier State #17
1980' FSL & 330' FWL
Sec. 22, T17S, R28E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
515'	1/2°
1133'	1/2°
1500'	1/2°
1970'	3/4°
2559'	1/2°
2993'	3/4°
3550'	3/4°

Very truly yours,

B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 29th day of January, 1985.

NOTARY PUBLIC

