

Submit 3 Copies
to Appropriate
District Office

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Santa Fe	
File	
BLM	
Land Office	
B of M	
Operator	

Form C-103
Revised 1-1-89

WELL API NO.

30-015-25183

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Powell-Kissinger BS

8. Well No.

2

9. Pool name or Wildcat

Und. Eagle Creek Permo-Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☐

GAS
WELL ☒

OTHER

RECOMPLETION
RECEIVED

2. Name of Operator

YATES PETROLEUM CORPORATION

3. Address of Operator

105 South 4th St., Artesia, NM 88210

JUN 22 '89

4. Well Location

Unit Letter 0 : 990 Feet From The South Line and 1650 Feet From The East Line

Section 33

Township 17S

ARTESIA OFFICE
Range 25E

NMPM

Eddy

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3552' GR

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Plugback, perforate, treat ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6-9-89. Set CIBP at 8000' w/35' cement cap.

6-12-89. Perforated 6492-6639' w/18 .41" holes as follows: 6492-98' (7 holes); 6551-54' (4 holes); 6627, 28, 29, 33, 34, 38, and 6639' (7 holes) (Perforations 1 SPF).

Re-treat perforations at 7551-55 and 7701-06' w/1500 gals 15% MCA acid.

6-15-89. Treated perforations 6492-6639' in 3 stages w/3500 gals 15% NEFE acid and ball sealers.

Packer set 6465', RBP set at 6770'.

Post ID-2
7-14-89
P+H Ato-Mor

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Juanita Goodlett

TITLE

Production Supervisor

DATE 6-20-89

TYPE OR PRINT NAME

Juanita Goodlett

TELEPHONE NO. 505/748-1471

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

JUL 1 1989