

BENNETT-CATHEY WIRE LINE SERVICE
 PHONE (505) 748-3354
 ARTESIA, NEW MEXICO, 88210

PRESSURE TRANSIENT TEST DATA

SUBSURFACE PRESSURE MEASUREMENTS

DATE	TIME	t hrs	GAUGE PRESSURE psig	ABSOLUTE PRESSURE psia	RESERVOIR PRESSURE psia
08/17/87	00:15:00	36.750	4,030.5	4,043.7	4,059.7
08/17/87	00:30:00	37.000	4,030.5	4,043.7	4,059.7
08/17/87	00:45:00	37.250	4,030.5	4,043.7	4,059.7
08/17/87	01:00:00	37.500	4,030.5	4,043.7	4,059.7
08/17/87	01:15:00	37.750	4,030.5	4,043.7	4,059.7
08/17/87	01:30:00	38.000	4,030.5	4,043.7	4,059.7
08/17/87	01:45:00	38.250	4,030.5	4,043.7	4,059.7
08/17/87	02:00:00	38.500	4,030.6	4,043.8	4,059.8
08/17/87	02:15:00	38.750	4,030.6	4,043.8	4,059.8
08/17/87	02:30:00	39.000	4,030.6	4,043.8	4,059.8
08/17/87	02:45:00	39.250	4,030.6	4,043.8	4,059.8
08/17/87	03:00:00	39.500	4,030.6	4,043.8	4,059.8
08/17/87	03:15:00	39.750	4,030.6	4,043.8	4,059.8
08/17/87	03:30:00	40.000	4,030.7	4,043.9	4,059.9
08/17/87	03:45:00	40.250	4,030.7	4,043.9	4,059.9
08/17/87	04:00:00	40.500	4,030.7	4,043.9	4,059.9
08/17/87	04:15:00	40.750	4,030.7	4,043.9	4,059.9
08/17/87	04:30:00	41.000	4,030.8	4,044.0	4,060.0
08/17/87	04:45:00	41.250	4,030.8	4,044.0	4,060.0
08/17/87	05:00:00	41.500	4,030.8	4,044.0	4,060.0
08/17/87	05:15:00	41.750	4,030.8	4,044.0	4,060.0
08/17/87	05:30:00	42.000	4,030.9	4,044.1	4,060.1
08/17/87	05:45:00	42.250	4,030.9	4,044.1	4,060.1
08/17/87	06:00:00	42.500	4,030.9	4,044.1	4,060.1
08/17/87	06:15:00	42.750	4,030.9	4,044.1	4,060.1
08/17/87	06:30:00	43.000	4,031.0	4,044.2	4,060.2
08/17/87	06:45:00	43.250	4,031.0	4,044.2	4,060.2
08/17/87	07:00:00	43.500	4,031.0	4,044.2	4,060.2
08/17/87	07:15:00	43.750	4,031.1	4,044.3	4,060.3
08/17/87	07:30:00	44.000	4,031.1	4,044.3	4,060.3
08/17/87	07:45:00	44.250	4,031.1	4,044.3	4,060.3
08/17/87	08:00:00	44.500	4,031.1	4,044.3	4,060.3
08/17/87	08:15:00	44.750	4,031.2	4,044.4	4,060.4
08/17/87	08:30:00	45.000	4,031.2	4,044.4	4,060.4
08/17/87	08:45:00	45.250	4,031.2	4,044.4	4,060.4
08/17/87	09:00:00	45.500	4,031.2	4,044.4	4,060.4
08/17/87	09:15:00	45.750	4,031.3	4,044.5	4,060.5
08/17/87	09:30:00	46.000	4,031.3	4,044.5	4,060.5
08/17/87	09:45:00	46.250	4,031.3	4,044.5	4,060.5
08/17/87	10:00:00	46.500	4,031.3	4,044.5	4,060.5
08/17/87	10:15:00	46.750	4,031.4	4,044.6	4,060.6
08/17/87	10:30:00	47.000	4,031.4	4,044.6	4,060.6
08/17/87	10:45:00	47.250	4,031.4	4,044.6	4,060.6
08/17/87	11:00:00	47.500	4,031.4	4,044.6	4,060.6
08/17/87	11:15:00	47.750	4,031.5	4,044.7	4,060.7
08/17/87	11:30:00	48.000	4,031.5	4,044.7	4,060.7