

FIELD REPORT FOR CEMENTING OF WELLS

OIL CONSERVATION DIVISION

Operator BTA Oil Producers		Lease Duffield 8810 JV-P		Well # 1	
Location of Well	Unit I	Section 16	Township 16	Range 27	County Eddy
Drilling Contractor Hondo Drlg. Co		Type of Equipment Rotary			
<p>* Witness <u>APPROVED CASING PROGRAM</u></p>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
17 1/2	* 13 3/8	54.5 #		300	350 Circ
12 1/4	* 8 5/8	24		1500	600
7 7/8	5 1/2	15.5 + 17		8700	1600
Casing Data:					
Surface _____ joints of 8 5/8 inch 24 # Grade _____					
<input checked="" type="checkbox"/> (Approved) <input type="checkbox"/> (Rejected)					
Inspected by Darrell Moore date 10/15/88					
Cementing Program					
Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required _____					
Type of Shoe used _____ Float collar used Yes Btm 3 jts welded Yes					
TD of hole 1500 Set 1500 Feet of 8 5/8 Inch 24 # Grade _____					
New-used csg. @ 1500ft with 650 sacks neat cement around shoe of 15 sacks salt Sacks 6 lbs. 14 sk flo cete.					
+ 300 sack Class C additives 2% CaCl					
Plug down @ 10:00 (AM) <input checked="" type="radio"/> (PM) Date 10/15/88					
Cement circulated Yes No. of Sacks 250					
Cemented by Haliburton Witnessed by Darrell Moore					
Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by _____					
Remarks: _____					