

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions on
reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Fulton Enterprizes

3. ADDRESS OF OPERATOR

P. O. Box 1176 Artesia, N.M.

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

2310 FNL and 990 FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5. LEASE DESIGNATION AND SERIAL NO.

MI-61579

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Meridian Federal

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

East RedLake, 7R, Q, GB, SA
11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 25, T16S., R28E

12. COUNTY OR PARISH 13. STATE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANT

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.) *

5-28-91 Set 25 sack plug at about 2710 feet

5-29-91 Taged plug at 2557 feet

6-12-91 Shot off and pulled 1200 feet of 7" casing

6-15-91 Ran 1787 feet 4 1/2 casing and cemented with 300 sack Halliburton Light

210 Halliburton Class C Neat cement, and circulated 55 sacks to pit.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Owner

DATE 6-20-91

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

ACCEPTED FOR RECORD

DATE

1991

SJS

CARLSBAD, NEW MEXICO

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

MAY 21 1991

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Fulton Enterprises

3. Address and Telephone No.

P. O. Box 1176 Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2310 FNL and 990 FWL

5. Lease Designation and Serial No.
NM-61579

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Meridian Federal

9. API Well No.

1

10. Field and Pool, or Exploratory Area

East RedLake, 7R, Q, GB, SA

11. County or Parish, State

Sec. 25, T16S., R28E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☒ Plugging Back
☐ Casing Repair
☒ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☒ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Set 25 sack plug at about 2710 feet. [TAG]

Pull 1350 feet of 7 inch casing.

Run 1800 feet of 4 1/2 casing.

Circulate cement to surface.

ACCEPTED FOR RECORD

MAY 21 1991

CARISBADO, NEW MEXICO

14. I hereby certify that the foregoing is true and correct

Signed

[Signature]

Title

[Signature]

Date

5-14-91

(This space for Federal or State office use)

Approved by

[Signature]

Title

[Signature]

Date

5/22/91

Conditions of approval, if any:

RECEIVED

MAY 24 1991

OCB
HOBBS OFFICE