

FIELD REPORT FOR CEMENTING OF WELLS

CONSERVATION DIVISION

30-015-28417

Operator <u>Barbara Fashen</u>		Lease <u>State "36"</u>		Well # <u>1</u>	
Location of Well	Unit <u>N</u>	Section <u>36</u>	Township <u>17</u>	Range <u>26</u>	County <u>Eddy</u>
Drilling Contractor <u>N.A.</u>			Type of Equipment <u>Rotary</u>		

APPROVED CASING PROGRAM

* Witness

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cemen
<u>36</u>	<u>30"</u>	<u>175 #</u>		<u>80'</u>	<u>275 Surf</u>
<u>26</u>	<u>20"</u>	<u>133 #</u>		<u>120'</u>	<u>275 Surf</u>
<u>12 1/4</u>	<u>8 5/8</u>	<u>24 #</u>		<u>1350'</u>	<u>600 Surf</u>
<u>7 7/8</u>	<u>4 1/2</u>	<u>11.60 #</u>		<u>9200'</u>	<u>1200</u>

Casing Data:

Surface 31 joints of 8 5/8 inch 24 # Grade J-55

(Approved) (Rejected)

Inspected by Gary Williams date 4/14/95

Cementing Program

Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required 710 sxsType of Shoe used Guide Float collar used Yes Btm 3 jts welded YesTD of hole 1360 Set 1367 Feet of 8 5/8 Inch 24 # Grade J-55New-used csg. @ 510 sxs with 200 sxs sacks neat cement around shoe
+ sax additives 25 ccPlug down @ 12:00 noon (AM) (PM) Date 4/15/95Cement circulated Yes No. of Sacks 141 sxs to pitCemented by Western & Co Witnessed by Gary WilliamsTemp. Survey ran @ (AM) (PM) Date top cement @ Casing test @ (AM) (PM) Date Method Used Witnessed by Checked for shut off @ (AM) (PM) Date Method used Witnessed by Remarks: 4- cont