Form 3160-3 (December 1990)

UNITED STATES DEPARTMEN OF THE INTERTOR

OLL COMP Division

Form approved.

014

	BUREAU C1 J	AND MANAGEMENT	811-3. TS . ARTESIA, NM 08216-2034		DESIGNATION AND SER	IAL NO.
Δ1	PPLICATION FOR PER			LC-0268		
		DEEPEN	EFEN	6.IF IND NA	IAN, ALLOTTEE OR TR	IBE NAME
la TYPE OF WORK:	DRILL 🔀	DEEPEN		7.UNIT A	GREEMENT NAME	
b. TYPE OF WELL:	a.e. (==1	SINGLE	MULTIPLE			
METT X	WELL Other	ZONE	ZONE	B. FARM O	R LEASE NAME, WELL	NO.
2 NAME OF OPERA		OD ATION (NEW ADA)	1.127	Evarts 3	3 Federal #6	2335
3. ADDRESS AND TI	DEVON ENERGY CORP	OKATION (NEVADA)	4/3/	9.API WE:	LL NO.	2
3. ADDRESS AND II		TE 1500, OKC, OK 73102 (40	05) 552-4511	30-015-	30-015 -	30101
4. LOCATION OF WE	LL (Report location clearly and in				and POOL, OR WILDO	AT MICAA
	FNL & 990' FWL, Unit "E"		······································		T.,R.,M.,OR BLOCK A	7/3/0
					3-T17S-27E	TO CONTENT ON ALC
At top proposed prod	. zone (SAME)		4			
	AND DIRECTION FROM NEAREST TOWN	OR POST OFFICE*	WW.	•	TY OR PARISH	13. STATE
Approximately 7 miles	southeast of Artesia, NM		REDr. 30	Eddy C	ounty	New
15.DISTANCE FROM PROPO	OSED	16.NO. OF ACRES IN LEASE	OCO TELVED	L	17.NO. OF ACRES	Mexico
LOCATION TO NEAREST	•	200	MATESIA		TO THIS WELL	
PROPERTY OR LEASE I (Also to nearest drig, unit lin	ne if any)				40	
18.DISTANCE FROM PROPO TO NEAREST WELL, DR	SED LOCATION*	19.PROPOSED DEPTH 2800'			20 ROTARY OR CA	BLE TOOLS*
OR APPLIED FOR, ON		2000			Rotary	
21.ELEVATIONS (Show whe GR 3516'	nier Dr. K.I., Gr., etc.)				APPROX. DATE WORK W ch 15, 1998	ILL START
23.		PROPOSED CASING AND CI		······································		
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY	NESS
17 1/2"	14"	Conductor	40'		Redillity 6000	
12 1/4"	8 5/8", J-55	24 ppf	1150'		350 sx Lite + 1155	
7 7/8"	5 1/2", J-55	15.5 ppf	2800'		150 sx Lite + 350 s	x Class C
Devon Energy plans to	revention Equipment/	Andres Formation for commercia Programs to adhere to onshore The undersigned ac	oil and gas regulations are out ecepts all applicable terms, con ed on the leased land or portio	llined in th ditions, sti	e following exhibits pulation, and restric	and attachments
Exhibit #2 - Location a		BLM Bond File No			n (1
Exhibit #3 - Planned A	ccess Roads				Post FP- 1-37-98 PF + La	-/
Exhibit #4 - Wells With					1-17-98	•
Exhibit #5 - Production Exhibit #6 - Rotary Rig					1	
• •	sign Parameters and Factors			#	177 LI	6
Exhibit #8 - H2S Opera	ting Plan			,,,	•	
	ESCRIBE PROPOSED PROGRA eepen directionally, give pertine					

SIGNED E. J. B. TITLE DISTRICT ENGINEER DATE 1/13/98

*(This space for Federal or State office use)

PERMIT NO. APPROVAL DATE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY (ORIG. SGD.) ARMANDO A. LOPEZ

ADM, MINERALS

ADM, MINERALS
DATE 2-13-56

DISTRICT I P.O. Box 1960. Hobbs, NM 88240

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102
Revised February 10, 1994
Instruction on back
Submit to Appropriate District Office
State Lease - 4 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

OIL CONSERVATION DIVISION

Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Nan	Pool Name		
		·SA)			
Property Code	Property EVARTS "33"		Well Number		
OGRID No.	Operator	Name	Elevation		
	DEVON ENERGY	CORPORATION	3516'		


Surface Location


UL or lot No.	Section	Township	Range	Lot idn	Feet from the	North/South line	Feet from the	East/West line	County
Ε	33	17 S	27 E		2310	NORTH	990	WEST	EDDY

Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill Co	nsolidation	Code Ore	der No.				<u> </u>

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION





CHOKE MANIFOLD REQUIREMENT (2000 psi WP)



WRLBOP

WEST RED LAKE
GRAV COUNTY, MEN MESSO

SCHEMENS
BLOWOUT PREVENTOR
(1980) FIN MINISTER MY)

Attachment to Exhibit #1

NOTES REGARDING BLOWOUT PREVENTORS Evarts 33 Federal #6

Eddy County, New Mexico

- 1. Drilling nipple will be constructed so it can be removed mechanically without the aid of a welder. The minimum internal diameter will equal BOP bore.
- 2. Wear ring will be properly installed in head.
- 3. Blowout preventor and all associated fittings will be in operable condition and tested to 1000 psi with the rig pump.
- 4. All fittings will be flanged.
- 5. A full bore safety valve with proper thread connections will be available on the rotary rig floor at all times.
- 6. All choke lines will be anchored to prevent movement.
- 7. All BOP equipment will be equal to or larger in bore than the internal diameter of the last casing string.
- 8. Will maintain a Kelly cock attached to the Kelly.
- 9. Hand wheels and wrenches will be properly installed and tested for safe operation.
- 10. All BOP equipment will meet API standards and include a minimum 40 gallon accumulator having two independent means of power to initiate closing operation.