Form 3160-5 November 1994,	LE	D STATES			sion	FORM A DEP CAR	cls
	DEPARTMENT BUREAU OF LA	OF THE INTE	ERIOR ARTE	811 5. 187 51. 314, HM 85210-2834	4	FORM APPROVED OMB No 1004-0135 Expires July 31, 1995	
SUND	BY NOTIOFA A					se Senal No	
Do not use abandoned i	this form for proj well. Use Form 31	posals to drill 160-3 (APD) to	or to re-enter	a 16 17 10		JM 048343 dian. Allottee or Tribe Name	
			3	and the second			c
Type of Well Oil Well Gad Well	RIPLICATE - Otl	her instructio		****	7. If Ur	nit or CA/Agreement, Name	and/or No
Name of Operator	U Other		OCD	ECEIVED	8. Well	Name and No.	
OXY U	SA INC.			INTESIA	DXY	PooTart Federa	[#
Address P.O. 1 MIDLAI	BOX 50250 ND, TX 7971	3b.	Phone No. (inclui		9. API 30-01	5-30656	
Location of Well (Footage, Se		Description)	915-685-	5717	10. Field	and Pool, or Exploratory As	t a
1800 FNL 1980 F	FWL SENIO	(E) San 71	I TITS D	205		NOIVE PENN ty or Parish, State	
				COL	EDD		
12. CHECK A	PPROPRIATE BO	X(ES) TO INE	DICATE NATU	REGENOTICE	EDD.	Y NM OR OTHER DATA	
TYPE OF SUBMISSION				PE OF ACTION	CEPORT, C	OR OTHER DATA	
Nouce of Intent	Acidize						
_	Alter Casing		racture Treat	Production (Star	t/Resume)	Water Shut-Off	
Subsequent Report	Casing Repair		lew Construction	Recomplete		Well Integrity	
Final Abandonment Notice	Change Plans		lug and Abandon	Temporanly Ab	andon		
Describe Proposed or Complete If the proposal is to deepen dire Attach the Bond under which ti following completion of the inv testing has been completed. Fi determined that the site is ready	d Operation (clearly succionally or recomplete the work will be perform	ate all pertinent de e horizontally, give med or provide the	C BODD NO. on file	with DIMONA D.		Pais of an perunent markers	201 20000
following completion of the inv testing has been completed. Fi determined that the site is ready	d Operation (clearly su sectionally or recomplete ne work will be perfor olved operations. If the nal Abandonment Nous for final inspection.)	ate all pertinent de e horizontally, give med or provide the e operation results ices shall be filed	tails, including esti subsurface locatio e Bond No. on file s in a multiple com only after all requi	mated starting date of an ins and measured and tri- with BLM/BIA. Requi- pletion or recompletion rements, including recta	red subseque in a new inte imation, have	art reports shall be filed with aval, a Form 3160-4 shall be been completed, and the o	200 20000
following completion of the inv testing has been completed. Fi determined that the site is ready	d Operation (clearly su sectionally or recomplete ne work will be perfor olved operations. If the nal Abandonment Nous for final inspection.)	ate all pertinent de e horizontally, give med or provide the e operation results ices shall be filed	tails, including esti subsurface locatio e Bond No. on file s in a multiple com only after all requi	mated starting date of an	red subseque in a new inte imation, have	art reports shall be filed with aval, a Form 3160-4 shall be been completed, and the o	201 20000
following completion of the inv testing has been completed. Fi determined that the site is ready	d Operation (clearly su sectionally or recomplete ne work will be perfor olved operations. If the nal Abandonment Nous for final inspection.)	ate all pertinent de e horizontally, give med or provide the e operation results ices shall be filed	tails, including esti subsurface locatio e Bond No. on file s in a multiple com only after all requi	mated starting date of an ins and measured and tri- with BLM/BIA. Requi- pletion or recompletion rements, including recta	red subseque in a new inte imation, have	art reports shall be filed with aval, a Form 3160-4 shall be been completed, and the o	200 2000
OXY USA In BOP PROGRAM:	d Operation (clearly sub- cutionally or recomplete he work will be perform olved operations. If the nal Abandonment Note for final inspection.)	to amend t	tails, including esti subsurface locatio e Bond No. on file s in a multiple componly only after all requi	mated starting date of an ins and measured and tri- with BLM/BIA. Requi pletion or recompletion is rements, including recta	red subseque in a new inte imation, have	s follows:	200 2000
following completion of the inv testing has been completed. Fi determined that the site is ready OXY USA II BOP PROGRAM:	d Operation (clearly subscription of the work will be perform olved operations. If the nal Abandonment Note for final inspection.)	to amend t None 11" 5M b1	tails, including estu subsurface locato e Bond No. on file in a multiple comp only after all requi	mated starting date of an ins and measured and tri- ms and measured and tri- with BLM/BIA. Requi pletion or recompletion rements, including recta Preventer Pro- Preventer Pro- pe rams with 5M an	red subseque in a new inte imation, have ogram as 5M annul	In reports shall be filed with aval, a Form 3160-4 shall be been completed, and the o follows:	201 20000
I bereby certify that the former	d Operation (clearly succeived) exclored by a complete tectionally or recomplete nework will be perform olved operations. If the nal Abandonment Note for final inspection.) nc. requests 0'-400' 400'-2100' 100'-10500'	to amend t None 11" 5M b1	tails, including estu- subsurface locato e Bond No. on file in a multiple comp- only after all requi- he Blowout ind and pi-	mated starting date of an ins and measured and tri- ms and measured and tri- with BLM/BIA. Requi pletion or recompletion rements, including recta Preventer Pro- Preventer Pro- pe rams with 5M an	red subseque in a new inte imation, have ogram as 5M annul	In reports shall be filed with aval, a Form 3160-4 shall be been completed, and the o follows:	200 2000
I hereby certify that the foregoing Name (Printed/Typed)	d Operation (clearly succeived) exclored by a complete tectionally or recomplete nework will be perform olved operations. If the nal Abandonment Note for final inspection.) nc. requests 0'-400' 400'-2100' 100'-10500'	to amend t None 11" 5M b1	tails, including estu- subsurface locato e Bond No. on file in a multiple comp- only after all requi- he Blowout ind and pi-	mated starting date of an ins and measured and urn with BLM/BIA. Requi pleuon or recompletion rements, including recta Preventer Pro pe rams with ams with 5M an 8500'.	red subseque in a new inte imation, have ogram as 5M annui nnular p	ar preventer and	200 20000
I hereby certify that the foregoing Name (Printed/Typed)	d Operation (clearly static citionally or recomplete tectionally or recomplete tectionally or recomplete tection of the work will be performed on the work will be performed on the state of the state o	to amend t None 11" 5M b1	tails, including esta subsurface locatio e Bond No. on file in a multiple componie only after all require the Blowout ind and pipe head below	mated starting date of an ins and measured and tri- ms and measured and tri- with BLM/BIA. Requi pletion or recompletion rements, including recta Preventer Pro- Preventer Pro- pe rams with 5M an	red subseque in a new inte imation, have ogram as 5M annui nnular p	ar preventer and	200 20000
I hereby certify that the foregoing Name (Printed/Typed) DAVII	d Operation (clearly static citionally or recomplete tectionally or recomplete tectionally or recomplete tectionally or recomplete tection of the work will be perform olved operations. If the nal Abandonment Note for final inspection.) Inc. requests 0'-400' 400'-2100' 100'-10500' g is true and correct 0 STEWART	to amend t None 11" 5M bl rotating	tails, including esti subsurface locatio e Bond No. on file is in a multiple componity only after all require the Blowout ind and pipe ind pipe rather head below Title Date	mated starting date of an ins and measured and urn with BLM/BIA. Requi pleuon or recompletion rements, including recta Preventer Pro- pe rams with ams with 5M an 8500'. REGULATORY	red subseque in a new inte imation, have ogram as 5M annui nnular p	ar preventer and	200 20000
I hereby certify that the foregoing Name (Printed/Typed) DAVII Signature	d Operation (clearly static citionally or recomplete tectionally or recomplete tectionally or recomplete tectionally or recomplete tection of the work will be perform olved operations. If the nal Abandonment Note for final inspection.) Inc. requests 0'-400' 400'-2100' 100'-10500' g is true and correct 0 STEWART	to amend t None 11" 5M bl rotating	tails, including esti subsurface locatio e Bond No. on file is in a multiple componity only after all require the Blowout ind and pipe ind pipe rather head below Title Date	mated starting date of an ins and measured and un with BLM/BIA. Requi pletion or recompletion rements, including recta Preventer Pro- pe rams with ams with 5M an 8500'. REGULATORY	red subseque in a new inte- imation, have ogram as 5M annu: nnular p	ar preventer and	200 20000
I hereby certify that the foregoing Name (Printed/Typed) DAVII Signature	d Operation (clearly st. cctionally or recomplete he work will be perform olved operations. If the nal Abandonment Note for final inspection.) for contrast of the state o' -400' 400' -2100' 100' -10500' g is true and correct of STEWART Market State THIS SI	to amend t None 11" 5M bl rotating PACE FOR FE	tails, including esta subsurface locatio e Bond No. on file in a multiple comp only after all requi- he Blowout ind and pi ind pipe ra head below Title Date DERAL OR STA	mated starting date of an ins and measured and tri- ms and measured and tri- ms and measured and tri- pe rams. Including recta pe rams with pro- pe rams with 5M an 8500'. REGULATORY II (red subseque in a new inte- imation, have ogram as 5M annul nnular p K ANALYS 5 (SQ	ar preventer and	200 20000
I hereby certify that the foregoing Name (Printed/Typed) DAVII Signature	d Operation (clearly subcicionally or recomplete be work will be performoly of the performoly of operations. If the nal Abandonment Note for final inspection.) nc. requests 0'-400' 400'-2100' 100'-10500' g is true and correct STEWART	ate all pertinent de horizontally, give med or provide the se operation results to amend t None 11" 5M bl 11" 5M bl rotating PACE FOR FE	tails, including esti subsurface locatio e Bond No. on file in a multiple componie only after all require the Blowout ind and pipe ind pipe rate head below Title Date DERAL OR STA	mated starting date of an ins and measured and tru- mis and measured and tru- with BLM/BIA. Requi pletion or recompletion rements, including recta Preventer Pro- pe rams with ams with 5M an 8500'. REGULATORY II (ATE OFFICE USE	red subseque in a new inte- imation, have ogram as 5M annul nnular p K ANALYS 5 (SQ	s follows: lar preventer and	200 20000



ţ,

