

44 Mack 56 #3

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	858	T. Canyon	
T. Salt	970	T. Strawn	11426
B. Salt	2000	T. Atoka	11742
T. Yates	2169	T. Miss	
T. 7 Rivers	2467	T. Devonian	
T. Queen	3100	T. Silurian	
T. Grayburg	3526	T. Montoya	
T. San Andres	3845	T. Simpson	
T. Glorieta	5302	T. McKee	
T. Paddock		T. Ellenburger	
T. Blinberry		T. Gr. Wash	
T. Tubb	6648	T. Delaware Sand	
T. Drinkard	6829	T. Bone Springs	
T. Abo	7383	T. Lower Morrow	12,014
T. Wolfcamp	8838	T. Morrow Clastics	12,249
T. Penn	10293	T. Chester	12,498
T. Cisco (Bough C)		T.	

Northwestern New Mexico

T. Ojo Alamo	T. Penn "B"
T. Kirtland-Fruitland	T. Penn "C"
T. Pictured Cliffs	T. Penn "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
T. Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____
 No. 2, from _____ to _____

No. 3, from _____ to _____
 No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in the hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
858	970	112	ANHYDRITE				
970	2000	1030	SALT				
2000	2467	467	SAND, SHALE, DOLOMITE				
2467	3526	1059	ANHYDRITE				
3526	8838	5312	DOLOMITE				
8838	10293	1455	LIME, SHALE, SAND				
10293	12014	1721	SHALE, LIME				
12014	12498	484	SAND, SHALE, LIME				
12498	12650	152	LIME				