

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-015-31941

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

VO-4949

7. Lease Name or Unit Agreement Name:

Grande Mike AZK State

7. Well No.

#1

8. Pool name or Wildcat

Wildcat Abo

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street Artesia, NM 88210

4. Well Location

Unit Letter R : 1650 feet from the South line and 1550 feet from the West line

Section 2 Township 16S Range 29E NMPM Eddy County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3733' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☒

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Perforate, acidize ☒

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

1/11/02 - Set CIBP at 10,278'.

Perforate Atoka 10,086-10,090' with 30 holes, .42".

1/14/02 - Acidize perms 10,086-10,090' with 1000 gals 7.5% Morrow acid. Swab test.

1/15/02 - Set CIBP at 10,050' capped with 35' cement.

1/16/02 - Perforate Cisco 8610-8634' with 25 holes, .42".

1/17/02 - Acidize perms 8610-8634' with 2500 gals 15% gelled IC HCL. Swab test.

1/22/02 - Set CIBP at 8590', capped with 35' cement.

1/23/02 - Perforate Abo 7240-7280' with 41 holes, .42"

Acidize perms 7240-7280' with 3000 gals 20% gelled IC HCL.

1/28/02 - Picked up insert pump.

1/29/02 - Rig down

2/1/02 - Turn well to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Susan Herpin TITLE Engineering Technician DATE February 15, 2002

Type or print name Susan Herpin

Telephone No. 505-748-1471

(This space for State use)

APPROVED BY Record Only TITLE \_\_\_\_\_ DATE FEB 22 2002

Conditions of approval, if any:

