

## OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-79

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

RECEIVED

SEP 29 1981

O. E. B.  
ARTESIA, OFFICE

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
E 6353	
7. Unit Agreement Name	
CAVE POOL UNIT	
8. Farm or Lease Name	
9. Well No.	
49	
10. Field and Pool, or Wildcat	
CAVE-GREG	
12. County	
Eddy	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

WELL <input type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER- Injection
-------------------------------	-----------------------------------	------------------

Name of Operator

J E M Resources, Inc. ✓

Address of Operator

Box 648, Artesia, N. Mex. 88210

Location of Well

WIT LETTER L 2310 FEET FROM THE S LINE AND 990 FEET FROM

W LINE, SECTION 8 TOWNSHIP 17 RANGE 29 NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)

3638 Gr

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/> PARTIALLY ABANDON <input type="checkbox"/> OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> OTHER <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>
--	--	--	--

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Well had previously been Plugged but had small gas leak.


Surface Casing Shoe Plug was found to be low and of poor quality.

Drilled out plug and found Salt Base plug to be in correct place and of good quality.

Set 20 sx on top of Salt Base Plug and 35 sx at Shoe of Surface.

(352) Set bottom of plug at 400' and shut down 24 Hrs. Tagged Plug with tubing at 290'. Left open 48 Hrs. No Leaks appeared. Set 10 sx and Marker at top.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.



TITLE Pres.

DATE 9-29-81

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

