5 C.1 & .

NEW	MEXICO	OIL	CONSER	ATION	COM	MISSION
-----	--------	-----	--------	--------------	-----	----------------

Santa Fe, New Mexico

WELL RECORD

11

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES LOCATE WELL CORRECTLY

She

Simelair (d) (L Gas Company			State	Hidy 33		
(Co	mpany or Operator)				(Lease)		
Well No.	in			, T. 178		293	NMPM.
Uniosignated		Pa	ol,) Ddd	X	County.
Well is							•
of Section	If State Lar	d the Oil and Gas l	Lease No. is			****	****
Drilling Commenced							
Name of Drilling Contractor		•	-	-			
Address							
Elevation above sea level at 7	Top of Tubing Head.	3572					
	, 19						

OIL SANDS OB ZONES

No. 1, from 1719 2438	No. 4, from
No. 2, from	
No. 3, from	

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

12

f1

No. 1	, from	tofee	t
No. 2	, from	tofee	
No. 3	, from	tofee	t
No. 4	, from	tofee	

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10-3/4	88.0	New	353	None	1		Surface
7	20/	Hew	2443	Zleet .			Production
2*	4.7/	Hav	24,25				Tubing

HOLE	CASING	where Set	NO. BACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
-1/1	10-3/4	353	199	Ealliburten		
	9	2443	100	Halliberton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Sundoil freed w/20,000 gals oil & 28,500/ sund.

Result of Production Stimulation Flowed & Recovered load eil and them flowed 112 bble new eil in 7 hours

.....Depth Cleaned Out.....

thre a 1/2" sheks.

Orig & 5 ee: 000 ee: State Land Office ee: FRR, HTD, File

SECORD OF DRILL-STEM AND SPECIAL T. AS

If drill-stem or other special tests or deviation surveys were made, submit report on separate she it and attach hereto

		TOOL	S USED		
Rotary tools w	ere used from	feet to	feet, and from		feet.
Cable tools we	re used from Surface	feet to 2443	feet, and from	feet to	feet.
		PROD	UCTION		
Put to Product	ing	5-2- 19 57			
OIL WELL:	The production during the fi	rst 24 hours was	barrels of	liquid of which	9 was
	was oil;0	% was emulsion;	0 % water; and		nt. A.P.I.
	Gravity				
GAS WELL:	The production during the fi	rst 24 hours was	M.C.F. plus		barnels of
	liquid Hydrocarbon. Shut in	Pressurelb	S.		
Length of Tir	ne Shut in				
PLEASE	INDICATE BELOW FORM	AATION TOPS (IN CO)	NFORMANCE WITH GEO	BRAPHICAL SECTION OF ST	(ATE):
	Southeaster	rn New Mexico		Northwestern New Mexic	30

	Anhy					
Т.	Salt	Т.	Silurian	Τ.	Kirtland-Fruitland	
B.	Salt	Т.	Montoya	Т.	Farmington	
Т.	Yates	Т.	Simpson	Т.	Pictured Cliffs	
Т.	7 Rivers	Т.	McKee	Т.	Meneiee	
Т.	Queen	Т.	Ellenburger	Т.	Point Lookout	
	Grayburg					
Т.	San Andres	Т.	Granite	Т.	Dakot 3	•••••
Т.	Glorieta	Т.		Т.	Morri on	
	Drinkard					
Т.	Tubbs	т.		Т.		
Т.	Abo	Т.		Т.		
	Penn					
Т.	Miss	Т.		Т.		

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0 295 535 710 1190 2148 2443	295 325 710 1190 2148 2443	295 30 175 480	Redbed Salt Anhydrite & Salt Anhydrite & Lime Lime Total Depth				1971 - 1972 - 1974 - 1974 1971 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 -

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company o	or Operator	Sinclair	.0 1 1.8	. Gas	Company
				1111	$V \propto d$

......