

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NM OIL CONS COMMISSION

Drawer DP FORM APPROVED
Artesia District Office 002-001-0115
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
Marbob Energy Corporation

3. Address and Telephone No.
P.O. Drawer 217 Artesia, New Mexico 88210 OIL CON. DIV.

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEC. 13 T-17-S R-29-E 660 FNL 660 FWL Unit D

5. Lease Designation and Serial No.

LC-028784C

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Burch Keely Unit #2

9. API Well No.

30015-02912

10. Field and Pool, or Exploratory Area

GRBG Jackson SR Q GRBG SA

11. County or Parish, State

Eddy, N.M.

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 1) C.I.B.P. 7" was set 5-7-92 2345'
- 2) Spot 25 sacks cement on top of 7" C.I.B.P. at 2345'
- 3) Load hole w/mud
- 4) Perforate 7" casing at base of salt 955' squeeze w/50 sacks of cement and tag
- 5) Perforate 7" casing at top of salt 525' squeeze w/60 sacks of cement and tag this plug will also cover the 8 5/8 shoe at 525'
- 6) Perforate 7" and 8 5/8 at 50' circulate cement between 7" and 8 5/8 and 8 5/8 open hole leaving 7" full to surface

14. I hereby certify that the foregoing is true and correct

Signed Raymond M. Anderson

Title Superintendent

Date 8-25-95

(This space for Federal or State office use)

Approved by Shannon J. Shaw

Title PETROLEUM ENGINEER

Date 9/21/95

Conditions of approval, if any:

Before

Marlab Energy Corporation Burch Keely Unit # 2

TOP OF SALT 475'

8 5/8 575' cmt w/ 30% cement

BASE OF SALT 905'
TOC est. 1600'

7" C.I.B.P. at 2345' 5-7-92

7' 2368' cmt w/ 100% cement

Open hole

2368' - 2540'

P.B.T.D. 2540'

T.D. 2594'