

N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Leonard and Levers, Inc.

Roswell, New Mexico

Company or Operator

Address

State Lease Well No. 8 in SE of Sec. 21, T. 17

R. 29, N. M. P. M., Artesia Field, Eddy County.

Well is 1320 feet north of the North line and 1320 feet west of the East line of section 21

If State land the oil and gas lease is No. X771B-1266 Assignment No. Original

If patented land the owner is _____, Address _____

If Government land the permittee is _____, Address _____

The Lessee is Leonard and Levers, Inc., Address _____

Drilling commenced August 13 19 32 Drilling was completed October 25 19 32

Name of drilling contractor Emery Carper, Address Artesia, New Mexico

Elevation above sea level at top of casing 3568 feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from Gas 2265 to 2278 No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>8 1/2"</u>				<u>240'</u>					
<u>6 5/8"</u>				<u>2138'</u>					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
			<u>Mudded</u>			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from #-3 National Machine feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____, 19 _____

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours 775,000 Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. 465

EMPLOYEES

E. Carper, Driller _____, Driller

Stanley Carper, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 31

Place _____ Date _____

by of October, 19 32

Name Harry Leonard

Blanche McCoy

Position Pres.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	250		Caliche and gyp, red beds, salt
250	490		Salt and some gyp
490	980		Anhy, salt, r. sh. Red beds, red sand, lime
980	983		Brown sand--oil show
983	1010		Anhy and res shale and sand
1010	1020		brown lime
1020	1055		Anhy
1055	1065		Brown lime and sand
1065	1075		Gray sandy shale
1075	1145		Anhy
1145	1205		Lime, oil show 1155-1165; oil show at 1185'.
1205	1480		Anhy
1480	1492		Red sand
1492	1710		Anhy
1710	1735		Red sand, some red and gray shale
1735	1763		Anhy, streaks shale
1763	1775		Brown lime
1775	1870		Anhy, red and gr shale
1870	1880		Brown lime
1880	1935		Anhy
1935	1945		Gray lime
1945	2020		red sandy shale, anhy.
2020	2030		Brown lime
2030	2052		red sand and shale and lime
2052	2065		Brown lime and slate
2065	2095		red sandy shale.
2095	2281		Lime; show of gas 2210-2220; 2265-2278--775, 00 Cu Ft gas.
2281			total depth