SUNDRY NOTICES AND REPORTS ON WELLS					5. LEASE DEBIONAT	5. LEASE DESIGNATION AND BERIAL NO. () LC-028784-C 6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
(Do n	ot use this form for propo Use "APPLIC	ATION FOR PERMI	eepen or plug T—" for such p	pack to a different reservoir. ropossis.) RECEIVED	7. UNIT AGREEMEN	• NAMP	
OIL X	GAS OTHER					I AARE	
2. NAME OF OFERATOR				OCT 16 '89	8. FARM OR LEASE	S. FARM OR LEASE NAME	
Phillips Petroleum Company				O. C. D.	Keely C	Keely C Fed	
Room 401, 4001 Penbrook Street Odess				exas ARTERING DEFICE 20			
4. LOCATION OF WELL (Report location clearly and in accordance with a See also space 17 below.)				State requirements.*	10. FIELD AND POO	•	
At surface					11. BBC., T., B., M.,	ckson SR-Q-GB/S	
"Unit	I, 1980'FSL & 66	O'FEL			SURVET OF		
14. PERNIT NO		15. ELEVATIONS (Show whether Di	BT On etc.)	Sec 25, T-1 12. COUNTY OF PA	7-S, R-29-E	
API No. 30-015-03097 3590'DF				,,,,	Eddy	New Mexico	
<u></u>				lature of Notice, Report, or			
	NOTICE OF INTE	· ·	• meleare .		QUENT REPORT OF:		
TEST WA	TER REUT-OFF	PULL OR ALTER CAS		WATEL BEUT-OFF	BEPATRI	NG WELL	
FRACTURE		NULTIPLE COMPLET		FRACTURE TREATMENT	ALTERI		
SROOT OR	ACIDIZB	ABANDON®		SHOOTING OR ACIDIZING	ABANDO	NMENT*	
EEPAIR W (Other)		CHANGE PLANE		(Other)	its of multiple complet	ion on Well	
	ROPOSED OR COMPLETED OP	ERATIONS (Clearly S	tate all pertines	 Completion or Reconstruction of Reconstruction of Reconstructions and measured and true vertilities 	apletion Report and Lo es, including estimated		
9-12-85: 9-13-85: 9-14,15-8: 9-16-85:	2 3/8" tbg. WI WIH w/2-7/8" tb at 14.8 ppg, fr w/9.5 ppg mud 1. Perf'd 7" casin Pressured tbg t to 2470', pumpe POH w/tbg. WIH excess on top o 5: Crew off. WIH w/7" cmt re dumped excess of	H w/7" casin g open ended om 3330'-300 aden fluid. g @ 2400', 9 o 3000#, una d 25 sx Clas w/7" cmt re f retainer. tainer on 2- n top of ret. mt w/2% CaCl	g scraper to 3327' O'. WOC (Tagging 75' & 450 ble to pur s C cmt w t @ 880'. Reversed 7/8" tbg, ainer. Po	 Spotted 65 sx Class 2 ½ hrs. Tagged cmt of cmt witnessed by F 4SPF. WIH w/7" pkr mp into formation. F /2% CaCl₂ from 2470'- Pumped 25 sx Class 	ss C cmt w/2% at 2990'. Di Ron Tanner w/B c on 2-7/8" tb 20H w/pkr. WI -2328' across C w/2% CaCl ₂ . O sx Class C c tbg and WIH, s Installed dry	CaCl ₂ , mixed splaced hole LM-Carlsbad) g, set @2300'. H open ended perfs @ 2400'. Dumped mt w/2% CaCl ₂ potted 20	
18. I hekely e	eftiry that the foregoing i	s true and correct J. Mueller	TITLE Sr	Engineering Special		✓/7 ptember 24, 198	
Stewart		ice use)					