

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Las CrucesLease No. 005704 (a)Unit Lease "C"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Love Mills, New Mexico, May 19, 19 51Well No. 39-C is located 25 ft. from N line and 261.5 ft. from E line of sec. 25NE 1/4 Section 25
(1/4 Sec. and Sec. No.)17-0
(Twp.)22-0
(Range)WEST
(Meridian)Grayburg-Jackson
(Field)Edwy
(County or Subdivision)New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

WE PROPOSE TO DRILL THIS WELL AS FOLLOWS:

OBJECTIVE: Grayburg-Jackson zone.TOTAL DEPTH: Approximately 3120'.CASING PROGRAM: Salt String - We propose to run approximately 410' of 8-1/8" OD casing to top of salt and cement with 50 sacks cement preceded by heavy mud to surface.Production String - We propose to run approximately 2810' of 7" OD casing and cement with 100 sacks cement preceded by heavy mud to surface.

(Continued on Sheet -2-)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company General American Oil Company of TexasAddress Box 416, Love Mills, New Mexico

By _____

E. W. Loushop,
Asst. Field Supt.

Title _____

ACIDIZING PROGRAM: At total depth of approximately 2950' we propose to acidize the Upper Grayburg-Jackson Zone with 1000 gallons of 20% HCl and with sufficient acid thereafter to obtain maximum results.

At total depth of approximately 3120' we propose to isolate Lower Grayburg-Jackson Zone from approximately 2950'-3120' with formation packer and treat this section with 1000 gallons of 20% HCl and with sufficient acid thereafter to obtain maximum results.

DRILLING OPERATIONS TO COMMENCE: On or about May 25, 1951, with a Company owned No. 3 National Machine.

REMARKS: This unorthodox location was approved by NMOCC Order No. R-7. If commercial production is obtained well will be produced in accordance with NMOCC Order No. 802.

30-015-03109

8-29-72

Sidewall Neutron G-Ray
1800-3558

BHC Acoustilog
EPO-2220

