

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. 028784(c)  
Unit Keely 8

AUG 2 1957  
LAS CRUCES, N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

*Copied*  
Lease Hills, New Mexico August 8, 1957  
Well No. 41 is located 1346 ft. from N line and 2615 ft. from W line of sec. 26  
Sec. 26 17-S 29-E N.M.P.M.  
( $\frac{1}{4}$  Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Grayburg-Keely Edley New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3562 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On July 29, 1957 we ran 642' of 5 1/2" OD 8rd 17# STAG JS casing as liner hung on Brown Type "G" 6-slip liner hanger and Type "W" packer (16'). Total length 658' hung from 2654' to 3312' and cemented with 35 sacks cement.

After standing cemented 19 hours we ~~xxxx~~ run temperature survey which indicated top of cement at 2880'.

After standing cemented 72 hours we drilled plug, bailed hole dry and re-ran bailer. As shut-off proved complete drilling was resumed.

Cementing was done by Denton Oil Well Cementing Company.

Temperature survey was run by West Engineering Company.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company GENERAL AMERICAN OIL COMPANY OF TEXAS

Address P.O. Box 416

Lease Hills, New Mexico


By R. J. Heard  
R. J. Heard  
Title Field Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. 028784(a)  
Unit Early 8



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Lease Hills, New Mexico August 8, 19 57

Well No. 41 is located 1346 ft. from N line and 2615 ft. from W line of sec. 26

N41 Sec. 26 17-S 29-E N.M.P.M.  
( $\frac{1}{4}$  Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Grayburg-Early Early New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3562 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On July 29, 1957 we ran 642' of 5 1/2" OD and 17# ST&C JS casing as liner hung on Brown Type "C" 6-slip liner hanger and Type "C" packer (16"). Total length 638' hung from 2654' to 3312' and cemented with 35 sacks cement.

After standing cemented 19 hours we ~~xxxx~~ run temperature survey which indicated top of cement at 2800'.

After standing cemented 72 hours we drilled plug, bailed hole dry and re-ran bailer. As shut-off proved complete drilling was resumed.

Cementing was done by Denton Oil Well Cementing Company.

Temperature survey was run by West Engineering Company.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company GENERAL AMERICAN OIL COMPANY OF TEXAS

Address P.O. Box 416

Lease Hills, New Mexico

By H. J. Heard

Title Field Superintendent