

(SUBMIT IN TRIPLICATE)

Land Office Los Angeles

Lease No. ~~02578-55(b)~~ Tr. A.

Unit July 1

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

JUL 25 1963

APPROVED
 JUL 28 1958
[Signature]
 JOHN A. FROST
 DISTRICT ENGINEER
SUNDRY NOT

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

Subsequent Report of Acid & Free

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Lees Mills, New Mexico July 25 1959

Well No. 7-B is located 1900 ft. from N line and 1900 ft. from E line of sec. 26

ME 4 Sec. 26
(1/4 Sec. and Sec. No.)

17-2
(Twp.)

(Range)

N.M.P.M.
(Meridian)

Graybeard-Jackson
(Field)

(County or Subdivision)

~~NEW YORK~~
(State or Territory)

The elevation of the derrick floor above sea level is ~~3570~~ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

RECORD OF ACID & ENAC:

3-21-58 Loaded hole & broke down W/24, bbls. 20% HCl & 271 SO. followed by 1572 SO containing 36,500# 1-60 Ottawa Sand. Flashed W/90 SO. Max. inj. press. 3800 psig; minimum 3000; SO press. 3600; 55 min. CIP "G" psig. Total inj. time 51 min; avg. inj. rate 28.7 BPM. Load to rec. 1735 SO. Used 2 Freemaster 600's & Mastertwiner 60. Job by Western Co.

RESULTS OF ACID & FLAC:

3-22-58 Roran 2" EUE tubing & scrubbed 23 BO in 5 hrs.
3-23-58 Scrubbed 19 BO.
3-24-58 Scrubbed 19 BO.
3-25-58 Pulled 2" EUE tubing & started bailing Ottawa Sand.
3-26-58 Bailing sand.
3-27-58 Bailing sand.

RECEIVED
JUL 23 1958
U. S. AIR FORCE SURVEY
ARTESIA, NEW MEXICO

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company GENERAL AMERICAN OIL CO. OF TEXAS

Address P. O. BOX 416

LOCO HILLS, NEW MEXICO

By

R. J. Ford

Title --- District Dept.

General American Oil Co. of Texas

Page #2

Report of Acid & Frac, Keely B-7

July 25, 1958

RESULTS OF ACID & FRAC (Cont'd):

3-28-58 Ran tubing & Reds.

3-29-58 Pumped 33 BO in 16 hrs.

3-30-58 Pumped 55 BO in 21 hrs.

3-31-58 Pumped 53 BO in 21 hrs.

6-17-58 Recovered all load oil plus 5 Bbls. NET OIL.

24 Aug 58
2021 25 1958

General Hospital 011 001 of Texas

Report of Acid & Trace, Neely B-7

8-11-58 (011000) 011000 (000000)

8-11-58 011000 011000 011000
8-11-58 011000 011000 011000
8-11-58 011000 011000 011000
8-11-58 011000 011000 011000

8-11-58 011000 011000 011000