

Drawer DD
Artesia, NM 88008
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back any different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
well well

2. NAME OF OPERATOR General American Oil Co. of Tex.

c/o Phillips Oil Company

3. ADDRESS OF OPERATOR

Room 401, 4001 Penbrook

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1295' FSL & 25' FEL

AT TOP PROD. INTERVAL: same

AT TOTAL DEPTH: same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) CO, Perf & Acidize ☒

5. LEASE

028784-93(b) Tr.A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

--

7. UNIT AGREEMENT NAME

--

8. FARM OR LEASE NAME

Keely-B

9. WELL NO.

22

10. FIELD OR WILDCAT NAME

Grayburg-Jackson

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 26, T-17-S, R-29-E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

14. API NO.

30-015-03129

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3584 RKB

RECEIVED BY

MAY 9 1984

O. C. D.

ARTESIA, OFFICE

NOTE: Report results of multiple completion or zone change on Form 9-330.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
Cont. from report 11-11-83:

11-11 thru

11-13-83 Pmpg.

11-14-83: Sand frac'd Gb/SA from 2461-2942' w/52,000 gals refined oil w/68,000# 20/40 sand & 36,000# 10/20 sand and 150 BS.

11-16-83: Flwd. 24 hrs, 760 BLO.

11-17-83: Flwd. 24 hrs, 126 BLO, good show of gas.

11-18-83: Flwd. 24 hrs, 68 BLO, no wtr.

11-19 thru

11-20-83: Flwd. 48 hrs, 143 BLO, no wtr.

11-21-83: Attempted to pull BP & pkr. Could not latch on to plug.

11-22-83: Latched on to fish. COOH. Retrieved both BP & Pkr.

See reverse side

Subsurface Safety Valve: Manu. and Type

N/A

Set @ _____ Ft.

BOP Equip: Series 900, 3000# WP double w/1 set pipe rams, 1 set blind rams

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Sr. Engineering

DATE December 16, 1983

W. J. Mueller Specialist

(This space for Federal or State office use)

ACCEPTED FOR RECORD

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL IF ANY

MAY 8 1984

*See Instructions on Reverse Side

ROSWELL, NEW MEXICO

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between, and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1981 O - 347-166

11-23 thru

11-27-83: 23rd: Ran 2" production tbg to 3162'. Set mud anchor @ 3179'. Ran 3/4" rods w/insert pump. Set seat nipple @ 3162'. 24th, 25th, 26th, 27th: Pmgd 24 hrs, 212 BLO, 181 BLW.

11-28-83: Pmpd 24 hrs, 12 BLO & 32 BNO, 19 BLW & 8 BSW.

11-29-83: Pmpd 24 hrs, 46 B0, 39 BW.

11-30-83: Pmpd 24 hrs, 47 B0, 46 BW.

12-01-83: Pmpt 24 hrs, 46 B0, 45 BW.

12-02 thru

12-05-83: Pmpt 96 hrs, 172 B0, 713 BW.

12-06-83: Pmpd 24 hrs, 40 B0, 40 BW.

12-07-83: Pmpd 8 hrs, 16 B0, 14 BW.

12-08-83: Pmpd - no gauge.

12-09-83: Pmpd 24 hrs, 38 B0, 47 BW, GOR 110.

12-10-83: Pmpd 24 hrs, 37 B0, 48 BW, GOR 110 from 7" csg perfs 2461'-3247'.

NM OIL CONS. COMMISSION
Drawer DD UNITED STATES
Artesia, NM 88210
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐
2. NAME OF OPERATOR General American Oil Co. of Tex.
c/o Phillips Oil Company
3. ADDRESS OF OPERATOR
Room 401, 4001 Penbrook
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1295' FSL & 25' FEL
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	☐	☐
FRACTURE TREAT	☐	☐
SHOOT OR ACIDIZE	☐	☐
REPAIR WELL	☐	☐
PULL OR ALTER CASING	☐	☐
MULTIPLE COMPLETE	☐	☐
CHANGE ZONES	☐	☐
ABANDON*	☐	☐
(other) CO, Perf & Acidize	☐	☒

5. LEASE
028784-93(b) Tr.A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
--
7. UNIT AGREEMENT NAME
--
8. FARM OR LEASE NAME
Keely-B
9. WELL NO.
22
10. FIELD OR WILDCAT NAME
Grayburg-Jackson
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 26, T-17-S, R-29-E
12. COUNTY OR PARISH
Eddy
13. STATE
NM
14. API NO.
30-015-03129
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3584 RKB

RECEIVED BY

MAY 9 1984

O. C. D.
ARTESIA, OFFICE

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
Cont. from report 11-11-83:

11-11 thru
11-13-83 Pmpg.
11-14-83: Sand frac'd Gb/SA from 2461-2942' w/52,000 gals refined oil w/68,000#
20/40 sand & 36,000# 10/20 sand and 150 BS.
11-16-83: Flwd. 24 hrs, 760 BLO.
11-17-83: Flwd. 24 hrs, 126 BLO, good show of gas.
11-18-83: Flwd. 24 hrs, 68 BLO, no wtr.
11-19 thru
11-20-83: Flwd. 48 hrs, 143 BLO, no wtr.
11-21-83: Attempted to pull BP & pkr. Could not latch on to plug.
11-22-83: Latched on to fish. COOH. Retrieved both BP & Pkr.

See reverse side

Subsurface Safety Valve: Manu. and Type N/A Set @ _____ Ft.

BOP Equip: Series 900, 3000# WP double w/1 set pipe rams, 1 set blind rams

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Sr. Engineering DATE December 16, 1983
W. J. Mueller Specialist

ACCEPTED FOR RECORD (This space for Federal or State office use)

APPROVED BY [Signature] TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

MAY 8 1984

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1981 O - 347-165

11-23 thru

11-27-83: 23rd: Ran 2" production tbg to 3162'. Set mud anchor @ 3179'. Ran 3/4" rods w/insert pump. Set seat nipple @ 3162'. 24th, 25th, 26th, 27th: Pmgs 24 hrs, 212 BLO, 181 BLW.

11-28-83: Pmpd 24 hrs, 12 BLO & 32 BNO, 19 BLW. & 8 BSW.

11-29-83: Pmpd 24 hrs, 46 B0, 39 BW.

11-30-83: Pmpd 24 hrs, 47 B0, 46 BW.

12-01-83: Pmpd 24 hrs, 46 B0, 45 BW.

12-02 thru

12-05-83: Pmpd 96 hrs, 172 B0, 713 BW.

12-06-83: Pmpd 24 hrs, 40 B0, 40 BW.

12-07-83: Pmpd 8 hrs, 16 B0, 14 BW.

12-08-83: Pmpd - no gauge.

12-09-83: Pmpd 24 hrs, 38 B0, 47 BW, GOR 110.

12-10-83: Pmpd 24 hrs, 37 B0, 48 BW, GOR 110 from 7" csg perfs 2461'-3247'.