ing, was the

#### (SUBMIT IN TRIPLICATE)

### UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Offic	· Les Cress	
Lease No.	028784 (c)	
I I	Keely C	

	SUNDRY N	IOTICES AND	REPORTS O	N WELLS		
NOTICE OF	INTENTION TO DOUG	CII	RSECUENT REPORT OF WAT	ER SHUT-OFF		
NOTICE OF INTENTION TO DRILL			SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.						
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.						
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.			SUBSEQUENT REPORT OF ABANDONMENT.			
NOTICE OF INTENTION TO PULL OR ALTER CASING			SUPPLEMENTARY WELL HISTORY			
NOTICE OF	INTENTION TO ABANDON WE	<b>LL</b>				
		<b>&amp;</b>	because legar	of Pres & Acid	X	
	(INDICATE	ABOVE BY CHECK MARK NATURE	OF REPORT, NOTICE, OR OTH	HER DATA)		
		Loc	Hille, N. H.	April 4	, 19 <b>57</b>	
197 II N.T			·			
Well No.	is located	1 .330 ft. from [N]	line and 990 It.	from W line of sec	·· <b>26</b>	
184/4-184/	and Sec. No.)	TVD.) (Renge)		¥		
0.		,	•			
····· Carry Di	(Field)	(County of Sabdivi	sion)	(State of Territory)		
771 1	sian af sha danniale A	oor above oo level is	area fo			
i he eleva	tion of the derrick h	oor above sea level is	.3563. 11.			
		DETAILS OF	F WORK			
(State names	of and expected depths to ob	ojective sands; show sizes, weigh ing points, and all other imp	ts, and lengths of proposed ortant proposed work)	casings; indicate mudding	jobs, cement-	
3-23 3-24 3-25 3-26	Bailed 15 GOPH Ram 25877 of 4 LV 3 1/2" x 5 1 Fractured as for Loaded annulus used 881 B9 con Flushed with 88 1800. Total II load oil to rec	th 55 gals. HCl. (rate of 8.57 ROP! 1/2" OD HHE tubing 1/2" Packer on bet illows: Londed tub with 55 NO. Broke staining 5,000# 40	y with 59° of 3 ion at 2652°. ring with 9 Bhls o formation down -60 & 45,800° 20 one. 3200 poig; sutos. Avg. In	a. 20% HCl & 43 a with 27 HO, th )-40 Ottawn Sand Niminum 2800; j. Bate 24.4 BeP	BO. en shut doen also Total	
3-27-m	F PRACTURING: an Opened, NRSI At.	.6:20.44,341h.50.p	ije. on.: juhing. A. (Continued o	.5AC, paig .co .com	ing <sub>ad</sub> .	
Company		LICAN CEL COMPANY	•			
Address	P. O. Beat 4)	<b>4</b>		Λ		
	at at some als	P-V	_ R	$\mathcal{L}$		
	LOCO HILLS,	HEN MEXICO	By	VIDENIS	ا در (۱) ۱۰ های های	
			Title	J. Heard		
			I itle	els Sept.		

#### Commence of the commence of th

## 

### 

# 

Literature Alignmen

A CONTRACTOR OF THE SECOND

en de la companya de la co

and the second of the second of the setting of the property of the second of the secon

General American Cil Go. of Texas

April 4, 1957

Subsequent Report of Frac & Acid, Keely Col.

Page Ho. 2

## RESULTS OF FRACTURING (Cont'd):

3-28 Flowed 1062 BO in 24 hrs. thru 3/4" tubing shoke.
3-29 Recovered balance of lead cil. Then flowed 102.98 BO in 3 hrs.
thru 3/4" tubing shoke.

conertal Atlantican Office of Course

and it is

Turampent doors of rough Adda, Seely Columnian

SEMESTREE PROGRAMMENT STREET

3-28 Flowed 10f2 30 in 21 hrs. thru 3/14 to ing above. 3-29 - adovered belance of load oil. Ther flowed 102, 8 in in 1 hrs. incre 3/14 tabing chose.